


# TOTO COLLECTIONS 2018 / 2019







Things you use every day.

Created for a new way of living.

For over 100 years,

TOTO has pursued the path

of science and advanced technology

to design a world of comfort

in the most important spaces in your dreams.

Beyond mere aesthetics.

Beyond simple creative comforts.

Our enduring mission - pursued with zeal and not beholden to quaint tradition - is to turn daily rituals into richly satisfying experiences

and to make this new way of living available to all.

Based on wellness science and maximizing
the effectivenes of materials and water,
TOTO technologies are designed to rejuvenate and replenish.
To liberate from stress and unburden the environment.
To support good health for people at every stage of life.

For body and mind in ways that awaken the imagination.

To bring to your life every day the promise of tomorrow's better living.


#### TOTO

# Life Anew



### CONTENTS

| HISTORY 8                       |                       |              | TOILE             | TOILETS                          |       |
|---------------------------------|-----------------------|--------------|-------------------|----------------------------------|-------|
| GLOBAL ENVIRONMENTAL VISION     |                       | 15           | 130               | WALL HUNG TOILET                 | F. 12 |
|                                 |                       |              | 137               | ONE PIECE TOILET                 |       |
| DESIGN PHILOSOPHY               |                       | 16           | 137               | TWO PIECE TOILET                 |       |
| AWARD WINNING PRODUCTS          |                       | 17           | 138               | SEAT AND COVER                   |       |
| NEOREST                         |                       | 18           | LAVAT             | LAVATORY                         |       |
| 18                              | NEOREST NX            |              | 142               | LUMINIST                         |       |
| 40                              | NEOREST XH            | 4 7 9        | 144               | REINFORCED MARBLE                |       |
| 44                              | NEOREST LE            |              | SHOW              | SHOWER TECHNOLOGIES              |       |
| 48                              | NEOREST AH            | 11.500       | 数(8) -            | FITTINGS & SHOWERS               |       |
| 50                              | NEOREST RH            |              | FITTIN            |                                  |       |
| 52                              | 52 NEOREST COLLECTION |              | BATH <sup>-</sup> | TUBS                             | 286   |
| 58 NEOREST LAVATORY, LINEARCERA |                       |              |                   |                                  |       |
| 66                              | FLOTATION TUB         | ş <u> </u> , | 288               | AIR-JET MASSAGE FUNCTION         |       |
| WACHIET                         |                       |              | 289               | FLOTATION BATHTUB                |       |
| WASHLET                         |                       | 74           | 290               | REINFORCED MARBLE                | 4     |
| 80                              | WASHLET               | W Subst      | 291               | PEARL ACRYLIC                    |       |
| 82                              | WASHLET COMBINATION   | - S116       | 292               | ENAMELED CAST IRON               |       |
| 86                              | ECOWASHER             | No.          | 294               | ACRYLIC                          |       |
| 88                              | ECOWASHER COMBINATION |              | 295               | WASTE FITTINGS                   |       |
| RENESSE                         |                       | 90           | PUBL              | BLIC                             |       |
| JEWELHEX                        |                       | 98           | 298               | URINALS                          | No.   |
| BASIC+                          |                       | 104          | 301               | FLUSH VALVE FOR WC & URINAL      |       |
|                                 |                       |              | 303               | AUTO FAUCET SERIES               | -     |
| LE MUSE                         |                       | 108          | 306               | 306 CONCEALED TANK & FLUSH PANEL |       |
| ТОЈА                            |                       | 116          | 311               | HAND DRYER                       | ME Y  |
| AVANTE                          |                       | 124          | ACCE              | ACCESSORIES                      |       |





The company is established by Kazuchika Okura under the name, TOYO TOKI CO. LTD. which is later renamed TOTO.

#### 1923

The Great Kanto Earthquakes strikes devastating Tokyo. A sewage system is built during the reconstruction, leading to a rapid growth in demand for sanitary wares.

#### 1946

After World War II, TOTO begins manufacturing metal fittings and faucets in addition to ceramics.

#### 1980

TOTO launches WASHLET, providing consumers with a whole new level of cleanliness and comfort.

NEOREST toilet is launched incorporating WASHLET with a comprehensive range of TOTO's innovations. It brings with it the fullest realization yet of the principle of Clean Technology.

#### 2008

TOTO Asia Oceania Pte. Ltd. is established as the regional headquarters of the Middle East, South Asia, South East Asia, and Oceania.

#### 2013

TOTO Asia Oceania launches its first Technical Center in Singapore. It serves to introduce TOTO's latest products and technologies to customers.

#### 2015

In 2015, TOTO exceeds 40 million units globally. Since the very first model in 1980s, new innovation and features have been continuously added culminating the latest model that is the epitome of comfort and hygiene. For the past 37 over years, TOTO has been developing every part of WASHLET to perfection.





The Toto Museum in Kitakyushu was opened in 2015 on the occasion of the company's 100th anniversary and showcases the evolution of the business and its products. The museum highlights the historical landmarks that changed Japanese bathroom culture, including the move from rural to city living. Old toilet seats are on display, as well as exquisite porcelain tableware that the company used to produce as a side business in the past. TOTO aims to promote the appeal of this complex as a point of contact with visiting customers and clients. It positions as a landmark that disseminates information about the TOTO brand from Kokura, the birthplace of the company, to people all around the world.

#### 2019

TOTO is going to exhibit at the ISH2019 - the world's large international trade fair in Frankfurt, Germany for baths, toillets, buildings, heating and cooling, air conditioning, and renewable energy from March 11th, 2019 to March 15, 2019. TOTO began exhibiting in 2009, and this is the sixth exhibition with the new theme - "Life Anew". Not only you will be able to experience the unique technology of TOTO at the venue, you will also be able to physically touch our latest products. Through the exhibtion, TOTO will share the message on its 100 years of evolution in TOTO's unique technological innovation, and for the next 100 years.

# 40 MILLION WASHLETS SOLD WORLDWIDE



## 100% TOTO 100% MADE FOR YOU



# Our deep feelings for people and their life have remained unchanged since our foundation.

In 1912, in an era when there were as yet no sewage facilities in Japan and thoughts of hygiene were still nascent, Kazuchika Okura, the founder TOTO, was deeply impressed by the cleanliness of the ceramic toilets he saw in the West and he took up the challenge to create a national hygienic ceramic industry based on the idea of "improving the lifestyle of the Japanese people". Subsequently, at the end of five year's research he succeeded in mass-producing Japan's first hygienic ceramic toilet. This is exactly what we could call the beginning of a new culture.

TOTO's manufacturing philosophy is bonded deeply to that moment create when new lifestyle values were created.

Further, these ideas have continued without pause until today.

TOTO remains dedicated to delivering products that offer inclusive functionality and respect for the environment.

We embrace these values every day to create a future that surpasses all expectations.

#### **Corporate Message**

### **TOTO**

#### Life Anew

To create a culture comfortable, healthy living

Since our founding, we have continuously pursued innovations that offer greater wellness and comfort to daily life


Honoring the trust that our customers and society place in us,

TOTO remains dedicated to delivering products that offer inclusive functionality and respect for the environment

We embrace those values every day to create a future that suppresses all expectations.

#### **Mission**

To ensure we secure and retain the trust of customers and society as a whole, we have formulated a mission with three key elements.




#### **TOTO Global Environment Vision**

We will implement our Global Environment Vision to support the mission.

## Water, Earth & a better Tomorrow

At TOTO, we're committed to improving life and the environment for a thriving future. Our production processes and products save water and energy, while reducing impact on the environment. We provide cleanliness and comfort while building relationships that enrich life. Water, Earth & a better Tomorrow All our group companies are dedicated to building a healthier and more sustainable tomorrow.



## OUR DESIGN PHILOSOPHY

TOTO has a wide range of products that caters to all in terms of design and user needs. Be it the essentials or the luxury series, the designs would fit anywhere, everywhere. The principle of design lies in our philosophy of creating a Clean and Green product with Comfort.



TOTO embraces technology in the pursuit of cleanliness, creating high levels of hygiene and relaxation. Its Clean Technology is not only about hygiene; it provides enjoyment and comfort for everyone of all ages. It is all about increasing the user's fulfilling moments while reducing time spent on bathroom maintenance.



Eco-friendly effects are achieved with TOTO's sustainable features that promote saving of energy and water. Some of TOTO's technologies require almost no chemicals for cleaning, and some even break down pollutants in the air. Every time you use a TOTO bathroom, the planet benefits.



TOTO incorporates comfort features in its Clean Technology for its products with a sophisticated eye for design. Nonetheless, TOTO's design philosophy goes beyond providing comfort to the eyes; every product facilitates easy usage and user satisfaction for everyone, dedicating the best comfort to all.

## OUR AWARD WINNING PRODUCTS



reddot design award



Since their introduction in the year 1953, the iF design awards have been a reliable indicator of outstanding quality in design. The iF product design award covers all areas of product design. It serves as a platform for design-relevant


innovations, thus recognizing to-

day's globally networked world

and its related dynamics.



Organized annually by The Chicago Athenaeum: Museum of Architecture and Design, together with The European Centre for Architecture Art Design and Urban Studies, Green GOOD DESIGN is the benchmark for new designs that foster a greater sense of ecological-based design, eco-innovation, conservation, green technologies, renewable energy, and sustainability to better the quality of both life and the environment.



Organized by Design Zentrum Nor-

drhein Westfalen from Germany

































# NEOREST NX 6 **HEATED SEAT** \$ RIMLESS EWATER+





AUTO FUNCTIONS



AIR-IN WONDER-WAVE





DRYER




DEODORIZER




21


#### NEOREST NX


Welcome to the Future of Toilet Technology
















WASHLET has many automated functions that keep your everyday life clean and comfortable.



#### **AUTO OPEN / CLOSE LID**

Eliminating the need to touch the toilet surfaces, the lid automatically opens and closes when the toilet is approached and departed.

#### **AUTO FLUSH**

No need to touch buttons or handles and never worry about someone forgetting to flush — it's automatic after each use.





#### **INSTANT HEATED SEAT**

The toilet seat immediately warms when the toilet is approached, ensuring a warm comfortable seat any time.

#### **DEODORIZER**

Highly effective deodorizing automatically takes places inside the toilet bowl both during and immediately after use, leaving no disturbing odors.





#### **SOFT LIGHT**

Subdued lighting switches on when the toilet is approached, so users do not have to disturb themselves at night with a bright bathroom light.

#### **NEOREST NX**



#### NEW CS901KVT#NW1

NEOREST NX II (Brushed Nickel) Flush System : Tornado 3.8L/3.0L Rough-in : 305mm

: 468W x 800D x 565H mm Size




















#### NEW CS901VT#NW1

 NEOREST NX II (French Gold)

 Flush System
 : Tornado 3.8L/3.0L

 Rough-in
 : 305mm

 Size
 : 468W x 800D x 565H mm


















#### **NEOREST NX**



#### NEW CS900KVT#NW1

| NEOREST NX | (Brushed Nickel)
| Flush System | Tornado 3.8L/3.0L
| Rough-in | : 305mm
| Size | : 468W x 800D x 565H mm
















#### NEW CS900VT#NW1

NEOREST NX I (Silver)
Flush System : Tornado 3.8L/3.0L
Rough-in : 305mm


305mm 468W x 800D x 565H mm Size















DECADES OF RESEARCH
WENT INTO MAKING
THE GREATEST ADVANCEMENT
IN WASHROOM TECHNOLOGY



#### ACTILIGHT

The NEOREST with
Actilight represents the
zenith of clean technology
made to improve life. It
is the only toilet with
the technology to stay
clean on its own, ridding
itself of both visible and
invisible waste through
a photocatalytic process.
Indulge in the comfort and
cleanliness of NEOREST
with Actilight.





# EWATER+

ewater+ is an antibacterial liquid that prevents waste particles from accumulating and staining the toilet bowl. It is sprayed into the toilet after flushing and eliminates 99.9% of bacteria. It also sterilises the bidet nozzle after every use.

# THE PURIFICATION CYCLE

BEFORE



Pre-mist (water) is sprayed into the bowl

DURING



Nozzle is cleaned with water

AFIEF



Nozzle and bowl is cleaned with ewater+

INTERIM




After 8 hours of nonuse, ewater+ is automatically sprayed



### **MECHANISM**



Tap water is electrolysed as it travels through the toilet.



When naturally occurring chloride ions in tap water are electrolysed, they turn into hypochlorous acid, the active ingredient of ewater+. Hypochlorous acid is capable of instantly sterilising a dirty surface.




ewater+ turns back into regular water after two hours, making it an Earth-friendly alternative to harsh household cleaning agents.

# **INTEGRATED TECHNOLOGIES**

# This is no ordinary toilet

The Neorest integrates all of TOTO's cutting edge technologies culminating in a device that caters to all of your needs and more.





### WASHLET

The Washlet's functions are controlled by a remote control. The flow of the warm, aerated water can be adjusted with ease for rear and front cleansing. After use, the wand disappears into its casement for self cleaning.





#### **CEFIONTECT**

This special glaze makes the ceramic surface ultra-smooth even at microscopic levels. The slippery surface prevents waste from sticking.



Ordinary Ceramic Surface



Ceramic Surface with CeFiONtect



#### **AUTO FUNCTIONS**

The lid automatically opens as you approach the toilet. After use, the triple jet Tornado Flush is activated forcing waste off the surface as the lid gently closes. A hands-free device is both more convenient and more hygienic.





NEOREST represents a new style of leisure bathing. It brings you a pure enjoyment by which you can get released both physically and psychologically when having the bath. You can gain the natural implication of the combination of water and people without any hustle and bustle.

# NEOREST XH

TOTO is dedicated to pushing the limits of innovation to make technological break-throughs that improve the quality of life. The NEOREST with Actilight is a powerful cleaning system that brings new levels of health and hygiene to the washroom. Experience the pleasure of using a toilet that always looks and feels brand new.







Neorest XH II carrying innovative Actilight technology



#### CW993VA#NW1/TCF993WA

NEOREST XH II

Tornado (3.8L/3L) Flush System: Hybrid Ecology System

Rough-in 305mm

Size 448W x 820D x 527H mm

#### T53P100

Floor Flange for S Trap
















NEOREST XH I

Flush System : Tornado (3.8L/3L)

Rough-in

Hybrid Ecology System 305mm 448W x 820D x 527H mm Size

T53P100

Floor Flange for S Trap























# NEOREST LE

The new NEOREST with Actilight and ewater+ technologies is setting new standards in hygiene. The toilet bowl features a special zirconium oxide coating. It works with the ultraviolet light inside the seat cover to trigger a photocatalytic process that breaks down organic substances. The result is a consistently clean toilet.





# **NEOREST LE**





#### CW996P#NW1/TCF996WA

NEOREST LE II

| NEOFIEST | ELECTRIC | NEOFIEST | NEOFIEST

#### WH036D

Concealed Tank

#### MB005DGN

Flush Panel

























#### CW994P#NW1/TCF994WA

NEOREST LE I

Flush System :
Rough-in : Tornado (4.5L/3L) 220mm (P-Trap) 423W x 675D x 461H mm Size

### WH036D

Concealed Tank

#### MB005DGN

Flush Panel



















# **NEOREST AH**



# CS985PVA#NW1 / TCF9786WA#NW1 NEOREST AH Flush System : Tornado (3.8L/3L)

Hybrid Ecology System 305 mm (S Trap) 389W x 705D x 547H mm

**CS985PVA#NW1 / TCF9786WA#NW1**Flush System : Tornado (4.8L/3.4L)
Rough-in : 120 ~ 155mm (P-Trap)

#### T53P100

Rough-in

Floor Flange for S Trap

















- 705 -



#### YH63SD

Paper Holder (Stand Type) Size : 290W x 260D x 830H mm





# **NEOREST RH**



#### NEW CS989PVT#NW1 / TCF9768WZ#NW1

| NEOREST RH (P Trap) | Flush System : Tornado 4.8L/3.4L | Rough-in : 120-155mm | Size : 386W x 689D x 512H mm

#### CS989VT#NW1 / TCF9768WZ#NW1

NEOREST RH (S Trap)
Flush System : Tornado 3.8L/3.0L
Rough-in : 305mm
Size : 468W x 800D x 565H mm




















## **NEOREST**





NEOREST NX II

Flush System : Tornado 3.8L/3.0L

305mm 468W x 800D x 565H mm Rough-in Size

Body Colour : White

Remote Control Colour : Brushed Nickel, French Gold

















NEOREST NX I

Flush System: Tornado 3.8L/3.0L

Rough-in

305mm 468W x 800D x 565H mm Size : Body Colour :

Body Colour: White Remote Control Colour: Brushed Nickel, Silver



















#### CW993VA#NW1 / TCF993WA#NW1

NEOREST XH II

NEURESTATIII
Flush System : Tornado (3.8L/3L)
Hybrid Ecology System

Rough-in 305mm 448W x 820D x 527H mm

Body Colour : Body Colour : White Remote Control Colour : Gold

























#### CW996P#NW1 / TCF996WA#NW1

NEOREST LE II

Flush System: Tornado (4.5L/3L) 220mm (P-Trap) Rough-in 423W x 675D x 461H mm

Body White Remote Control Colour : Gold







#### CW992VA#NW1 / TCF992WA#NW1

NEOREST XH I

Tornado (3.8L/3L) Hybrid Ecology System Flush System:

Rough-in

448W x 820D x 527H mm

Size Body Colour White Remote Control Colour : Silver



















#### CW994P#NW1 / TCF994WA #NW1

NEOREST LE I

Flush System: Tornado (4.5L/3L) 220mm (P-Trap) 423W x 675D x 461H mm Rough-in Size

Body Colour White Remote Control Colour : Silver









#### CS985PVA#NW1 / TCF9786WA#NW1

NEOREST AH

Tornado (3.8L/3L) Flush System: Hybrid Ecology System 305 mm (S Trap)

Rough-in Size 389W x 705D x 547H mm

Body Colour White Remote Control Colour : Silver

















#### CS985PVA#NW1 / TCF9786WA#NW1

Flush System: Tornado (4.8L/3.4L) Rough-in Body Colour 120 ~ 155mm (P-Trap) White

Remote Control Colour : Silver

#### CS989PVT#NW1 / TCF9768WZ#NW1

NEOREST RH (P Trap)

Tornado 4.8L/3.4L Flush System : 120-155mm Rough-in 386W x 689D x 512H mm Size

Body Colour White Remote Control Colour : Silver

















CS988VT / TCF9575Z NEOREST RH (S Trap)

Flush System : Tornado 3.8L/3.0L Rough-in 305mm

366W x 693D x 511H mm Size Body Colour : White Remote Control Colour : Silver

# **NEOREST SERIES**

## OVERVIEW OF NEOREST FUNCTIONS

| PRODUCT MODEL     |                          | NEOREST NX II               | NEOREST NX I                | NEOREST XH II               | NEOREST XH I                |  |
|-------------------|--------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|--|
| PRODUCT CODE      |                          | CS901KVT#NW1<br>CS901VT#NW1 | CS900KVT#NW1<br>CS900VT#NW1 | CW993VA#NW1<br>TCF993WA#NW1 | CW992VA#NW1<br>TCF992WA#NW1 |  |
| PRODUCT IMAGE     |                          |                             |                             | Also-                       | 1-                          |  |
| REMOTE CONTROL    |                          | Brushed Nickel French Gold  | Brushed Nickel              | Gold                        | Silver                      |  |
| <b>()</b> w       | ATER USE                 | 3.8/3.0L                    | 3.8/3.0L                    | 3.8/3.0L                    | 3.8/3.0L                    |  |
|                   | ACTILIGHT                | •                           | _                           | •                           | _                           |  |
|                   | <b>€</b> EWATER+         | •                           | •                           | •                           | •                           |  |
| SNS               | TORNADO FLUSH            | •                           | •                           | •                           | •                           |  |
| OTIC              | CEFIONTECT               | •                           | •                           | •                           | •                           |  |
| N N               | RIMLESS                  | •                           | •                           | •                           | •                           |  |
| ENE<br>ENE        | ● PREMIST                | •                           | •                           | •                           | •                           |  |
| HYGIENE FUNCTIONS | SELF-CLEANING WAND       | •                           | •                           | •                           | •                           |  |
| _                 | Clean Seat               | •                           | •                           | •                           | •                           |  |
|                   | Clean Wand               | •                           | •                           | •                           | •                           |  |
|                   | Antibacterial Feature    | •                           | •                           | •                           | •                           |  |
| SNC               | AIR-IN WONDER-WAVE       | •                           | •                           | -                           | -                           |  |
| FUNCTIONS         | Rear Cleansing           | •                           | •                           | •                           | •                           |  |
| FUN               | Rear Soft Cleansing      | •                           | •                           | •                           | •                           |  |
| NG<br>NG          | Front Cleansing          | •                           | •                           | •                           | •                           |  |
| CLEANSIN          | Wide Front Cleansing     | •                           | •                           | •                           | •                           |  |
| CLE               | Oscillating Cleansing    | •                           | •                           | •                           | •                           |  |
|                   | Pulsating Cleansing      | •                           | •                           | •                           | •                           |  |
|                   | Water Pressure Control   | •                           | •                           | •                           | •                           |  |
|                   | Wand Position Adjustment | •                           | •                           | •                           | •                           |  |
|                   | AUTO OPEN / CLOSE LID    | •                           | •                           | •                           | •                           |  |
| COMFORT FUNCTIONS | AUTO FLUSH               | •                           | •                           | •                           | •                           |  |
|                   | INSTANT HEATED SEAT      | •                           | •                           | _                           | _                           |  |
|                   | HEATED SEAT              | •                           | •                           | •                           | •                           |  |
|                   | DRYER                    | •                           | •                           | •                           | •                           |  |
|                   | DEODORIZER               | •                           | •                           | •                           | •                           |  |
|                   | SOFT LIGHT               | •                           | •                           | •                           | •                           |  |
|                   | Energy Save Timer        | •                           | •                           | •                           | •                           |  |
|                   | Auto Energy Saver        | •                           | •                           | •                           | •                           |  |

Actual product code varies to different country regions. Please check with your sales coordinator for the actual product code

| _            |   |   |                             | _                            |
|--------------|---|---|-----------------------------|------------------------------|
|              | NEOREST AH  | NEOREST RH  | NEOREST LE II               | NEOREST LE I                 |
|              | CS985VA#NW1 /<br>TCF9786WA#NW1<br>CS985PVA#NW1 /<br>TCF9786WA#NW1 | CS989VT#NW1 /<br>TCF9768WZ#NW1<br>CS989PVT#NW1 /<br>TCF9768WZ#NW1   | CW996P#NW1/<br>TCF996WA#NW1 | CW994P#NW1 /<br>TCF994WA#NW1 |
|              |   |   |                             |                              |
|              | Silver  | Silver  | Gold                        | Silver                       |
|              | CS985VA / TCF9786<br>3.8/3.0L<br>CS985PVA / TCF9786<br>4.8/3.4L   | CS989VT / TCF9768WZ<br>3.8/3.0L<br>CS989PVT / TCF9768WZ<br>4.8/3.4L | 4.5/3.0L                    | 4.5/3.0L                     |
|              | -   | -   | •                           | 1                            |
|              | •   | •   | •                           | •                            |
|              | •   | •   | •                           | •                            |
|              | •   | •   | •                           | •                            |
| _            | •   | •   | •                           | •                            |
| -            | •   | •   | •                           | •                            |
| _            | •   | •   | •                           | •                            |
| _            | •   | •   | •                           | •                            |
|              | •   | •   | •                           | •                            |
| _            | •   | •   | •                           | •                            |
| =            | <u> </u>  | •   | •                           | •                            |
|              | •   | •   |                             |                              |
|              |   |   |                             |                              |
|              | •   | •   | •                           | •                            |
| _            | •   | •   | •                           | •                            |
|              | •   | •   | •                           | •                            |
|              | •   | •   | •                           | •                            |
|              | •   | •   | •                           | •                            |
|              | •   | •   | •                           | •                            |
| _            | •   | •   | •                           | •                            |
|              | _   | -   | -                           |                              |
| =            | •   | •   | •                           | •                            |
|              | •   | •   | •                           | •                            |
|              | •   | •   | •                           | •                            |
|              | •   | •   | •                           | •                            |
|              | •   | •   | •                           | •                            |
| <del>-</del> | •   | •   | •                           | •                            |
|              | +   | I .   |                             | <u></u>                      |



LINEARCERAM's thin design harmonizes with any space. Although eye-catchingly thin, it is also extremely strong. Sophisticated and inviting to use, LINEARCERAM is a new paradigm in bathroom aesthetics.

To create a vessel of such exquisite thinness,
TOTO developed an advanced form of proprietary ceramic.







Along the thinnest part of the ridge, LINEARCERAM is approximately half the depth of a conventional basin. At the same time, the material has almost twice the tensile strength.





#### CEFIONTECT clean

LINEARCERAM features TOTO's proprietary technology for preventing the adhesion of dirt and ensuring easy cleaning. CEFIONTECT has superior durability for long-term use.




#### NEW L4724E#XW

Above Counter Lavatory Size : 400W x 260D x 80H mm












#### NEW L4706E#XW

Above Counter Lavatory Size : 600W x 420D x 90H mm












#### NEW L4715E#XW

Model:L4715E#XW Above Counter Lavatory Size : 500W x 380D x 70H mm












#### NEW L4716E#XW

Above Counter Lavatory Size : 600W x 380D x 70H mm









60 60

#### MR720ECR1

Lavatory w/ LED lights (Luminist) Size : 750W x 450D x 50H mm

#### TLXM1A1V301

Lavatory Faucet

#### **PRL100**

Power Unit

#### PZ6080

Cable Kitit




















#### LW991A#NW1

Console Lavatory Size : 750W x 500D x 120H mm













Adjustable temperature button with sleek water flow








#### LW3716HY#XW

Neorest Self Rimming Lavatory Size : 596W x 397D x 173H mm














#### LW3717HY#XW

Neorest Self Rimming Lavatory Size : 746W x 448D x 173H mm













61 61





The precisely balanced streams of water from SOFT FLOW faucets touch the skin gently, causing almost no spatter as you wash your hands. The feeling is soft, lustrous and enriching. Sensor-operation eliminates the need for levers or buttons to touch.

#### More than clean, beautiful

SOFT FLOW's translucent streams of water are exquisitely beautiful to the eye.



#### Splash-free handwashing

Even as the water completely envelops the palms, there is little to no splatter of droplets.

#### Hands-free operation

SOFT FLOW has sensors both for opening and closing the spout and for switching between hot and cold water. Simply waving the hand over the sensor operates it.





#### NEW TLP01701J


Water Outlet Size : 236H mm

# **TLP01702B**Controlling Unit











# NEW TLP01701J#BN (Brushed Nikel) Water Outlet Size : 236H mm


### TLP01702B


Controlling Unit
















Afloat, calm,

immersed in the meditative moment of relaxation.



### The posture of an astronaut resting in space

ZERO DIMENSION bathing brings freedom from gravity, releasing stress on joints and encouraging ultimate relaxation.

## The brain in a state of tranquility

Research has shown that the ZERO DIMENSION bathing posture reduces activity in the part of the brain that houses the language function. This is the reason Zero Dimension bathing feels calming and relaxing.







Exclusive features make every bath a luxurious occasion.

#### **NECK BATH**

With variable pillow positions ensuring stability, people of all body shapes can enjoy the warmth of the bath from above the shoulders to the neck.





AIR-JET


Fluctuating streams of air bubbles rise from below and envelop the body with a soothing sensation.

#### LED LIGHTING

In the outer perimeter of the tub's base, LED LIGHTING supplies a dream-like ambience.







#### **GALALINE MATERIAL**

Offering outstanding durability, the tub is made of GALALINE artificial marble and constructed using TOTO's innovative sandwich configuration.

#### CONTROLLER

The electrostatic CONTROLLER is operated by the slightest touch.





Deep stimulating water massage gives the feeling of real hands kneading on tired muscles.


HYDROHANDS is a dynamic water massage that flows randomly around targeted muscles to release tension. This powerful, constantly-moving stream gives the stimulating sensation of a masseuse's hands at work. Free of air bubbles and noise, HYDROHANDS encourages a deep sense of relations.



NEW PJYD2200PWE#GW
Galaline Bubble & Whirlpool Massage Bathtub
Size : 1050W x 2200D x 780H mm










# NEW TBP01301B / TBN01105B TBP01301B#BN / TBN01105B

(Brushed Nikel)
Floor Standing Bathtub Filler
(W/Hand shower)
Size : 130W x 360D x 912H mm








### EWATER+

### What is EWATER+ Technology?

EWATER+ is an antibacterial liquid that prevents waste particles from accumulating and staining the toilet bowl. It is automatically sprayed onto the toilet bowl after flushing. It eliminates 99.9% of bacteria and sterilises the bidet nozzle after every use.

ELIMINATING 99%
OF BACTERIA 99%
THAT CAN BE FOUND ON THE TOILET BOWL

### **HOW IT WORKS**




When naturally occurring chloride ions in tap water are electrolysed, they turn into hypochlorous acid, the active ingredient of ewater+. Hypochlorous acid is capable of instantly sterilising a dirty surface.

EWATER+ converts back into regular water after two hours, making it an Earth-friendly alternative to harsh household cleaning agents.

### PRE MIST

The PreMist function ensures the greatest possible hygiene from the very first moment. The toilet bowl is sprayed with water prior to use. This fine film of water over the CeFi-ONtect glaze helps eliminate dirt and waste 80% better with each flush. This makes the toilet easier to clean without the need of aggressive cleaning, and improves overall hygiene.







# SELF CLEANING WAND JET

The WASHLET automatically cleans the wand jet before and after use. TOTO technology is able to clean the wand jet system using only water – without any chemical additives.





# WAND JET POSITION

The jet extends at an angle, which keeps it from getting dirty. The soiled water falls directly into the toilet bowl at an angle of  $43^{\circ}-53^{\circ}$ , which keeps the jet clean.





# NO HIDDEN CREVICES

All areas of the WASHLET can be easily reached. There are no hidden crevices making it easy to reach and clean.



### **EASY CLEANING**

Seat cover can be easily removed and attached back for easy and convenient manual cleaning.




# EASY REMOVAL OF WASHLET

The WASHLET can be easily slot in and out from the toilet unit via the baseplate. As such it is user-friendly for the user to remove the washlet for simple cleaning.



# WASHLET CLEANSING FEATURES



### **CLEANSING SPRAY PATTERNS**

### **Rear Spray**

Clean the rear intimate area Pleasant, yet strong water pressure to target this specific area



### Front Spray

Consists of large, soft drops for comfortable intimate cleansing Suitable for ladies spray



### **Rear Soft Spray**

Larger radius to cover more space Low water pressure makes for a soft, comfortable spray



### **Wide Front Spray**

Larger radius to cover more space



### **WASHLET**



### NEW TCF4911E#NW1


Washlet

Bowl Shape

Elongated 383W x 532D x 125H mm Size









### TCF4731A#NW1

Washlet

: Elongated : 389W x 529D x 129H mm Bowl Shape Size


TOTO GREEN CHALLENGE















### TCF4732A#NW1

Washlet

D-Shape 390W x 520D x 127H mm Bowl Shape

TOTO GREEN



















### TCF6630A#NW1

Washlet Bowl Shape

Round 478W x 480D x 188H mm










### TCF6631A#NW1

Washlet Bowl Shape

Elongated 478W x 531D x 188H mm

TOTO GREEN CHALLENGE







### TCF6632A#NW1


Washlet

Bowl Shape Size

: D-Shape : 478W x 523D x 188H mm

TOTO SREEN CHALLENGE








### TCF6531Z#NW1

Washlet Bowl Shape

: Elongated : 390W x 531D x 188H mm Size

TOTO SREEN CHALLENGE








### TCF403EA#NW1

Washlet Bowl Shape

: Square : 392W x 582D x 134H mm Size








### WASHLET COMBINATIONS




CW542MUNW1 + TCF4732A#NW1






CW552MUNW1+TCF4732A#NW1






CW562M + TCF6631A#NW1






CW572M + TCF6631A#NW1



### WASHLET COMBINATIONS



### WASHLET

|               | Model Number                      | TCF4911E<br>#NW1 | TCF4731A | TCF4732A | TCF6630A<br>#NW1 | TCF6631A<br>#NW1 |
|---------------|-----------------------------------|------------------|----------|----------|------------------|------------------|
|               | Design                            | 0                | 0        | 0        | 1                | 0                |
| CLEANSING     | Rear Cleansing                    | •                | •        | •        | •                | •                |
|               | Soft Rear Cleansing               | •                | •        | •        | •                | •                |
|               | Front Cleansing                   | •                | •        | •        | •                | •                |
|               | Wide Front Cleansing              | •                | •        | •        | <u> </u>         | <del></del>      |
|               | Oscillating (Move) Cleansing      | •                | •        | •        | •                | •                |
|               | Pulsating Cleansing               | •                | •        | •        |                  |                  |
|               | Nozzle Position Adjustment        | •                | •        | •        | •                | •                |
| COMFORT       | Auto Lid Opening<br>and Closing   | •                | •        | •        | —                | <u>—</u>         |
|               | Soft Close Seat and Lid           | •                | •        | •        | •                | •                |
|               | Deodorizer                        | •                | •        | •        | •                | •                |
|               | Dryer                             | •                | •        | •        | •                | •                |
|               | Heated Seat                       | •                | •        | •        | •                | •                |
|               | Soft Light                        | •                | •        | •        | —                | <del></del>      |
|               | Remote Control                    | •                | •        | •        | <u> </u>         | <u></u>          |
| HYGIENE       | Sanitizing ( <b>_ewater+</b> )    | •                | •        | •        | —                | <u>—</u>         |
|               | Antibacterial Feature             | •                | •        | •        | •                | •                |
|               | Removable Lid                     | •                | •        | •        | •                | •                |
|               | One-touch Removal<br>of Main Unit | •                | •        | •        | •                | •                |
|               | Nozzle Cleaning Button            | •                | •        | •        | •                | •                |
|               | Self-Cleaning Nozzle              | •                | •        | •        | •                | •                |
| ENERGY-SAVING | Timer Energy Saver                | •                | •        | •        | •                |                  |
|               | Auto Energy Saver                 | •                | •        | •        | •                | •                |

|               | Model Number                      | TCF6632A<br>#NW1 | TCF6531Z<br>#NW1 | TCF403EA<br>#NW1 |
|---------------|-----------------------------------|------------------|------------------|------------------|
|               | Design                            | 10               | 0                |                  |
|               | Rear Cleansing                    | •                | •                | •                |
|               | Soft Rear Cleansing               | •                | •                | •                |
|               | Front Cleansing                   | •                | •                | •                |
| CLEANSING     | Wide Front Cleansing              | —                |                  | •                |
|               | Oscillating (Move) Cleansing      | •                | •                | •                |
|               | Pulsating Cleansing               |                  | •                | •                |
|               | Nozzle Position Adjustment        |                  | •                | •                |
|               | Auto Lid Opening<br>and Closina   | <del></del>      | <del></del>      | •                |
|               | Soft Close Seat and Lid           | •                | •                | •                |
|               | Deodorizer                        | •                | •                | •                |
| COMFORT       | Dryer                             | •                | •                | •                |
|               | Heated Seat                       | •                | •                | •                |
|               | Soft Light                        |                  |                  | —                |
|               | Remote Control                    |                  | •                | •                |
|               | Sanitizing (_ <b>ewater+</b> )    | —                |                  | •                |
|               | Antibacterial Feature             | •                | •                | •                |
|               | Removable Lid                     | •                | •                | •                |
| HYGIENE       | One-touch Removal<br>of Main Unit | •                | •                | •                |
|               | Nozzle Cleaning Button            | •                | •                | •                |
|               | Self-Cleaning Nozzle              | •                | •                | •                |
| ENEDOVOAVINO  | Timer Energy Saver                | —                | •                | •                |
| ENERGY-SAVING | Auto Energy Saver                 | •                | •                | •                |





### TCW1211A

ECOWASHER

Bowl Shape Material


Function

Elongated / Regular Adjustable Urea Resin Rear Cleansing Bidet CW192K#XWH, CW9201C#XWH, CW636B#XW, CW822NJWS#W, CW320M#NW1 380W x 509D x 105H mm Matching Toilet

Size









TCW08S ECOWASHER


Elongated / Regular Adjustable PP Rear Cleansing Bidet Bowl Shape Material Function

TCW07S Function Matching Toilet Rear Cleansing CW580M#NW1, CW920K#XWH, CW320M#NW1 385W x 504D x 80H mm

Size

TOTO GREEN CHALLENGE





## **ECOWASHER**

The TOTO Ecowasher is extremely convenient because it does not require any electricity. The water from the nozzle is controlled solely by water pressure. Without needing an electrical outlet, it is easy to install and remove for cleaning purposes. It also is just as enjoyable to use as the TOTO Washlet.



### TCW09S


**ECOWASHER** 

Material : Urea Resin Function : Rear Cleaning

Bidet

ze : 380W x 503D x 105H mm







### TCW10S

DUROPLAST ECOWASHER
\*Bidet Function for TOJA


Material : Urea Resin Function : Rear Cleaning

Matching : CW951JWS#W Toilet

Size : 380W x 533D x 105H mm







### **Features**



Rear cleansing




Bidet



Self cleaning




Soft closing




Easy remove for cleaning

### **ECOWASHER COMBINATIONS**



### **ECOWASHER COMBINATIONS**





Find your way to Renesse if you desire streamlined design and timeless elegance. The impressive furnishings have smooth, seamless surfaces with chrome and stainless steel details. Yet, the rounded edges make it versatile to be combined with wood surfaces for a warmer look.











MB005DG



### CW512YR#W / 7EE0007 / TC501CVK

to be combined with metallic cover 7EE007

### TX215C


Slip in Connector
















MB005DG



### CW512YR#W / 9AE0017 / TC501CVK

Wall Hung Toilet
Flush System: To
Bowl Shape: El
Rough-in: 22 Wall Hurig Tollet
Flush System : Tornado Flush (4.5/3L)
Bowl Shape : Elongated
Rough-in : 220mm (P-Trap)
Size : 390W x 582D x 339H mm
to be combined with plastic cover 9AEOOO8

### TX215C

Slip in Connector

























#### CW512YR#W / 7EE0007 / TCF403EA#NW1

Washlet Set

Flush System : Bowl Shape : Tornado Flush (4.5/3L) Square 220mm (P-Trap) 392W x 582D x 340H mm Rough-in Size


to be combined with metallic cover 7EEOO7


### TX215C

Slip in Connector













MB005DG

CONTROLLER



### CW512YR#W / 9AE0017 / TCF403EA#NW1

Washlet Set

Flush System : Tornado Flush (4.5/3L) Bowl Shape Square 220mm (P-Trap) 392W x 582D x 340H mm Rough-in Size

to be combined with plastic cover 9AEOO08

### TX215C


Slip in Connector




















**LW170YB#XW**Console Lavatory
Size : 600W x 470D x 75H mm






### LW171YB#XW


Console Lavatory Size : 600W x 365D x 75H mm





LW172YB#XW Console Lavatory Size : 900W x 470D x 75H mm













### CW682E#XW

Wall Hung Toilet
Flush System : Wash Down (6/3L)
Bowl Shape : Elongated
Rough-in : 223mm (P-Trap)
Size : 458W x 560D x 320H mm

**TX215C**Slip in Connector

TC375CVKR Seat & Cover (Soft Closed Elongated)





### **JEWELHEX**




### L681E#W

Console Lavatory Size : 607W x 483D x 160H mm

### TLP03

Pop - up Waste






### L682E#W

Self Rimming Lavatory Size : 685W x 490D x 70H mm

### TLP03

Pop - up Waste






### PAY1816HPWE#W

w/Hand Grip Acrylic Free Standing Bathtub Size : 1800W x 850D x 600H mm


Headrest to be purchased separately (NTP005) Waste Fitting Included





# PAYK1810RHPWE#W Acrylic Bathtub Size : 1800W x 850D x 580H mm

Headrest to be purchased separately (NTP005) Waste Fitting Included









### **DL334S**







DL334-1S Extended Lavatory Faucet W/Pop-up Waste Size: 83W x 289D x 281H mm





Subtle waves and smooth swells of the streams, rivers and lakes. These seamless shapes are what inspired the beautiful curvature of the Basic+Series. Modesty interwoven into the distinct designs, our advanced technologies crave out of the box to bring you ever-lasting, high efficiency.









### CW762MUNW1

Basic + Wall-Hung Toilet With Hole

(CeFion) Flush System : 
 (CeFion)

 Flush System
 Ecomax Dual (4.8/3L)

 Size
 : 380W x 530D x 340H mm

 Bowl Shape
 D Shape

 Concealed Tank Recommended: WH023

#### TX215C

Slip in Connector

#### TC384CVK


Seat & Cover (Soft Close Elongated)











-530 -



### CW162MUNW1

Wall Hung Toilet

Clinch System : Tornado (4.5L)

Size Bowl Shape Size : 390W x 530D x 310H mm
Bowl Shape : D Shape
Concealed Tank Recommended : WH023

### TX215C

Slip in Connector

### TC390CVK

Seat & Cover (Soft Close Elongated)

















#### LW761LB#XW

Console Lavatory Size : 510W x 430D x120H mm

TOTO GREEN CHALLENGE








### LW760LB#XW

Console Lavatory Size : 500W x 421D x138H mm

TOTO GREEN CHALLENGE













#### CW812JWS#W

Wall Hung Toilet Flush System : W Bowl Shape : El 

Rough-in


Size

#### TC811SJ

Seat & Cover (Soft Close Elongated)

#### TX215C









#### CW813PJWS#W

Wall Faced Toilet

 Wall Faced Tollet

 Flush System
 : Wash Down (4.5/3L)

 Bowl Shape
 : Elongated

 Rough-in
 : 180mm


 Size
 : 380W x 595D x 400H mm


**TC811SJ**Seat & Cover (Soft Close Elongated)


#### TX215C

Slip in Connector

TOTO GREEN CHALLENGE











LW816JW/F#W
Twin Vessel Lavatory
Size : 1400W x 400D x 150H mm





## LW813CJW/F#W


Console Lavatory Size : 600W x 480D x 150H mm






#### LW814CJW/F#W

Console Lavatory Size : 750W x 480D x 150H mm






LW818JW/F#W Console Lavatory Size : 650W x 370D x 150H mm





#### LW819JW/F#W


Console Lavatory Size : 800W x 370D x 150H mm



# LE MUSE




LW810CJW/F#W Wall Hung Lavatory Size : 450W x 400D mm






LW811CJW/F#W Wall Hung Lavatory Size : 550Wx 480D mm






**LW817JW/F#W**Floor Standing Lavatory
Size : 705W x 455D x 900H mm






TX115LQBR Lavatory Faucet W/ Pop-up Waste Size : 130D x 167H mm






TX116LQBR Extended Lavatory Faucet W/ Pop-up Waste Size : 175D x 289H mm





#### TX128LQBR

Floor Standing Lavatory Faucet Size : 260D x 1030H mm











## CW951JWS#W


Single Bowl Toilet
Flush System : Wash down
Size : 365W x 595D x 351H mm
Bowl Shape : Square
Rough in : 220 mm

#### TC950SJ#W

Seat & Cover

**TX215C**Slip in Connector








## TCW10S

Duroplast Ecowasher
\*Bidet Function for TOJA
Size : 380W x 533D x 105H












#### LW950CJW/F#W


Console Lavatory Size : 505W x 455D x 100H mm






#### LW951CJW/F#W

Console Lavatory Size : 605W x 455D x 100H mm






LW952JW/F#W Console Lavatory Size : 570W x 355D x 100H mm





LW953JW/F#W Console Lavatory Size : 705W x 355D x 100H mm









#### TX115LT

Single Lever Lavatory Faucet with 14" Pop Up Waste Size : 62W x 152D x 142H mm





**TX116LT**Extended Single Lever Lavatory Faucet With 1" Pop-Up Waste
Size : 62W x 172D x 294H mm



# AVANTE

The lines that emanate upward are reminiscent of a noble white flower exuding grace and elegance.

Hidden beneath these lines is a boldness that is pervasive in the Avante series. Graceful in appearance yet high-performing.





#### CW822NJWS#W

Wall Hung Toilet (For Concealed


System)
Flush System:
Bowl Shape: : Siphon (4.5/3L) : Elongated : 220 mm (P-Trap) : 365W x 545D x 330H mm Rough-in Size

#### TX215C

Slip in Connector

TC281SJ Seat & Cover (Soft Close Elongated)





- 545 -



#### CW822M#NW1

Wall Hung Toilet (For Concealed System)
Flush System : Siphon (6/3L)
Bowl Shape : Elongated
Rough-in : 220 mm (P-Trap)
Size : 360W x 540D x 355H mm

#### TX215C


Slip in Connector

## TC281SJ

Seat & Cover (Soft Close Elongated)













#### LW824CJ#W

Semi Recessed Lavatory Size : 550W x 460D x 190H mm One tap Hole










## **TORNADO FLUSH**

360° cleaning power reaches every spot using less water

#### Advantages

A more quiet flush, cleans the entire bowl more thoroughly hence reducing the need for chemical cleansers









Tornado Flushing






## **RIMLESS DESIGN**

Effortless cleaning is part of the design


#### Advantages

Easier to clean, minimises the need for toilet cleaner

Regular Rim







Rimless Design






## **CEFIONTECT**

Ultra-smooth ceramic leaves nowhere for waste to cling

#### Advantages

Easier to clean, dirt resistant, minimises the amount of toilet cleaner required

#### Conventional Toilet







Cefiontect Toilet



## WALL HUNG TOILET



#### NEW CW532MUNW1/VC160

SP Wall-hung Toilet

Flush System : Water Use : 2D Tornado Flush 4.8/3L H=220 mm Rough-in


: 380W x 540D x 410H mm Size

#### TX215C

Slip in Connector











#### NEW CW522K#XW/VC160

SP Wall-hung Toilet

2D Tornado Flush 4.8/3L Rough-in H=220 mm

: 380W x 580D x 410H mm Size


#### TX215C


Slip in Connector













#### **NEW CW542MUNW1/VC10162**

RP Wall-hung Toilet


2D Tornado Flush


Water Use 4.8/31

380W x 580D x 410H mm Size











#### NEW CW552MUNW1/VC10162

RP Wall-hung Toilet


Flush System : 2D Tornado Flush Water Use : 4.8/3L


: 380W x 540D x 410H mm Size

#### TX215C

Slip in Connector









#### NEW CW572M / TC600VS#W

VP Wall-hung Toilet (V shape perfection)

Flush System : 2D Tornado Flush Water Use : 4.5/3L

Size 380W x 540D x 335H mm

#### TC600VS#W

Slim seat & cover

#### TX215C


Slip in connector















#### NEW CW562M/TC600VS#W

VA Wall-hung Toilet (V shape authentic)
Flush System : 2D Tornado Flush
Water Use : 4.5/3L

4.5/3L 380W x 470D x 335H mm Size

#### TC600VS#W

Slim seat & cover

#### TX215C

Slip in connector


















#### **NEW CW274JWS**

Flush System: Dual Flush 4.5/3 L

: Elongated : 210 mm Bowl shape Rough in

404W x 590D x 400H mm Size

#### TC273SJ


Duroplast Seat & Cover (Soft Close)


#### TX215C

Slip in Connector









-560 -



#### CW682E#XW

| Jewelhex Wall Hung Toilet | Flush System | Wash Down (6/3L) | Size | 452W x 560D x 320H mm

Bowl Shape Elongated


: 223 mm Rough-in

#### TX215C

Slip in Connector

#### TC375CVKR

Seat & Cover (Soft Close Elongated)



## WALL HUNG TOILET



#### CW162MUNW1

Wall Hung Toilet

Concealed Tank Recommended : WH023

#### TX215C

Slip in Connector

#### TC390CVK

Seat & Cover (Soft Close Elongated)
















#### CW762MUNW1

Basic + Wall-Hung Toilet With Hole(CeFion)

Basic + Wain-Turing Toller Will Thole Ce Flush System : Tornado (4.8/3L) Size : 380W x 530D x 340H mm Bowl Shape : D Shape Concealed Tank Recommended : WH023

#### TX215C

Slip in Connector

#### TC384CVK

Seat & Cover (Soft Close Elongated)


















#### CW812JWS#W

Le Muse Wall-Hung Toilet (4.5/3L)
Flush System : Wash Down
Size : 380W x 595D x 346H mm
Bowl Shape : Elongated

#### TX215C

Slip in Connector


#### TC811SJ

Seat & Cover

(Soft Close Elongated Duroplast)







#### WALL HUNG TOILET



#### CW822NJWS#W

Avante Wall Hung Toilet
(For Concealed System)
Flush System : Tornado II (4.5/3L)
Size : 360W x 540D x 400H mm

Bowl Shape Rough-in : Elongated : 220 mm (P-Trap)


#### TX215C

Slip in Connector

#### TC281SJ

Seat & Cover (Soft Close Elongated Duroplast)







#### CW822M#NW1

CW822M#NW I

Avante Wall Hung Toilet
Flush System : Tornado II (6/3L)
Size : 360W x 540D x 355H mm
Bowl Shape : Elongated
Rough-in : 220 mm (P-Trap)


TC394CVK#W Seat & Cover (Soft Close Elongated)


#### TC281SJ

Seat & Cover (Soft Close Elongated)

#### TX215C

Slip in Connector







#### CW192K#XWH

Wash Down, Dual Flush

Willow Toilet
Flush System:
Water Use:
Rough-in: 4.8/3L H=220 mm

380W x 560D x 359H mm Size


#### TC281SJ

Toilet Seat & Cover

#### TX215C

Slip in Connector





## WALL HUNG TOILET



#### CW580M#NW1

FIUSH STANDARD (Wall Hung Toilet)
Flush System : Wash Down (6/3L)
Size : 354W x 520D x 348H mm

Bowl Shape

: Regular : 220 mm (P-Trap) Rough-in

#### TX215C


Slip in Connector

#### TC500CVK/TC300#W

Seat & Cover (Soft Close Regular) (TCW07S/TCW08S Eco Washer)

#### \*TC504CVK

Seat & Cover (Soft Close Regular)





#### CW132M#NW1

CF Wall Hung Toilet

Flush System : Size : Bowl Shape : Tornado Flash (4.5/3L) 355W x 420D x 410H mm

D Shape Rough in : 220 mm

#### TC506VSIT#W

Seat & Cover (Soft Close Regular)

#### TX215C

Slip-in Connector


















## CW132MT1#NW1

CF Wall Hung Toilet for Eco-Washer Flush System : Tornado Flash (4.5/3L) 355W x 420D x 410H mm D Shape

Size Bowl Shape Rough in

## TCW07S/TCW08S

Seat & Cover (Soft Close Regular)

#### TX215C

Slip-in Connector
















## WALL HUNG TOILET



#### CW272M#NW1

Flush System : Tornado Flush (6/3L)
Size : 355W x 520D x 345H mm
Bowl Shape : D Shape

Rough-in 220 mm


#### TC506VSIT#W


Seat & Cover (Soft Close Regular)

#### TX215C

Slip-in Connector









#### CW182M#NW1


Round Wall Hung WC for Concealed tank
Flush System : 6/3L
Size : 355W X 520D x 410H mm
Rough in : 220 mm


#### TC506VSIT#W

Soft Close Seat & Cover

#### TX215C

Slip in Connector







## ONE PIECE TOILET



#### MS636DV#XW / MS636CDV#XW

One Piece Toilet

Flush System : Bowl Shape : Tornado (4.5 / 3L) Elongated


Rough-in Size 305mm 498W x 740D x 670H mm











## TWO PIECE TOILET



#### CW920K#XWH / SW920K#WH

Two Piece Toilet Flush System : Tornado (4.5 / 3L) Elongated 305mm (S-Trap) 400W x 695D x 760H mm Bowl Shape Rough-in Size

#### TC281SJ


Duroplast Seat & Cover (Soft Close Elongated)













#### CW320M#NW1

Toilet S Trap Body Rough in 305 mm Size : 695W x 368D x 763H mm

## SW320M#NW1

Low Tank with Tank Trim (3/6 D/F)

#### TC385VS#W


Soft Close Seat Cover

#### T53P100

Floor Flange with Seal Gasket








## SEAT AND COVER



#### **NEW TC512AW**


Slim Seat and Cover w/ Soft Close (Square) Size : 384W x 490D x 57H mm





## **NEW TC513AW**

Slim Seat and Cover w/ Soft Close (D Shape) Size : 384W x 490D x 57H mm








#### NEW TC600VS#W

Slim Seat and Cover w/ Soft Close (Elongated) Size : 488W x 370D x 55H mm








#### TC281SJ


Urea Resin Seat and Cover w/ Soft Close (Elongated) Matching Toilet: CW822NJWS#W, CW822M#NW1, CW920K#XWH, CW192K#XWH Size : 367W x 482D x 51H mm





#### TC880SJ#W


Urea Resin Seat and Cover w/ Soft Close (D-Shape) Size : 372W x 465D x 48H mm





#### TC282SJ

Urea Resin Seat and Cover w/ Soft Close (Regular) Matching Toilet: CW122K#W Size : 381W x 457D x 54H mm




## SEAT AND COVER



#### TC384CVK


Urea Resin Seat and Cover w/ Soft Close (D-Shape)
Matching Toilet: CW762MUNW1
Size : 386W x 468D x 64H mm





#### TC504CVK


Urea Resin Seat and Cover w/ Soft Close (Regular) Matching Toilet: CW580M#NW1 Size : 357W x 442D x 51H mm





#### TC390CVK


Urea Resign Seat & Cover W/Soft Close (Regular)
Matching Toilet: CW162MUNW1
Size : 386W x 468D x 64H mm





#### TC500VK


Seat & Cover (Soft Close Regular) PP Seat and Cover Matching Toilet: CW580M#NW1 Size: 380W x 448D x 64H mm





#### TC300#W


PP Seat & Cover (Soft Closed Round) Matching Toilet: CW580M#NW1 Size : 368W x 447D x 65H mm





#### TC506VSIT#W

Seat & Cover (Soft Close Regular)
PP Seat and Cover (Round)
Matching Toilet: CW272M#NW1, CW132M#NW1, CW182M#NW1 Size : 360W x 405D x 58H mm









# **LUMINIST**



# MRZ700BCB1 (Crystal Snow)

#### MRZ700BCB2


Luminist Console Lavatory w/ Waste Fitting Size : 400W x 90H mm







(Crystal Green) (Crystal Snow)





#### MRZ710BCB1


(Crystal Snow) Luminist Console Lavatory w/ Waste Fitting Size : 500W x 320D x 90H mm






reddot design award












# PJS03WE#GW (Gross White)

# PJS03WE#MW (Matte White)

Reinforced Marble Console Lavatory Size : 600W x 400D x 120H mm



# REINFORCED MARBLE




#### PJS02WE#GW

(Gross White)

#### PJS02WE#MW

(Matte White)

Reinforced Marble Console Lavatory Size : 600W x 400D x 120H mm






#### PJS01WE#GW

(Gross White)

# PJS01WE#MW (Matte White)

Reinforced Marble Console Lavatory Size : 632W x 404D x 154H mm






#### PJS04WE#MGI

Reinforced Marble

Console Lavatory Size : 450W x 450D x 160H mm






# PJS04WE#MGB (Black)

Reinforced Marble


Console Lavatory Size : 450W x 450D x 160H mm








L5615CE#XW Console Lavatory Size : 500W x 460D x 70H mm






L5616CE#XW Console Lavatory Size : 600W x 460D x 70H mm





L5715E#XW Console Lavatory Size : 500W x 380D x 70H mm





#### L5716E#XW


Console Lavatory Size : 600W x 380D x 70H mm





#### NEW LW274JW/F


Console Lavatory Size : 610W x 370D x 150H mm





#### NEW LW275JW/F


Console Lavatory Size : 750W x 370D x 150H mm






#### NEW LW276JW/F

Console Lavatory Size : 700W x 370D x 150H mm






**LW180YB#XW**Console Lavatory
Size : 650W x 453D x 136H mm





## LW181YB#XW


Console Lavatory Size : 650W x 345D x 136H mm






#### LW950CJW/F#W

Console Lavatory 1 Tap Hole Size : 505W x 455D x 100H mm






LW951CJW/F#W Console Lavatory 1 Tap Hole Size : 605W x 455D x 100H mm





## LW952JW/ F#W


Console Lavatory W/Bracket Size : 570W x 355D x 100H mm





#### LW953JW/F#W

Console Lavatory W/Bracket Size : 705W x 355D x 100H mm






#### LW648CJW/F#W

Console Lavatory 1 Tap Hole Size : 795W x 495D x 115H mm


# LW648JW/F#W (3 Tap Holes)





#### LW340CJW/F#W


Console Lavatory Size : 750W x 500D x 120H mm





## LW630JW/F#W


Console Lavatory Size : 600W x 370D x 110H mm





## LW631JW/F#W

Console Lavatory Size : 710W x 410D x 125H mm





#### LW643J#W

Console Lavatory Size : 584W x 384D x 100H mm


-100-

584



#### LW645JN#W


Console Lavatory Size: 660W x 420D x 75H mm





#### LW710CM#NW1

Console Lavatory Size : 500W x 450D x 135H mm






#### LW711RCB#XW

(1 Tap Hole) Console Lavatory Size: 600W x 500D x 135H mm








#### LW716B#W

Console Lavatory Size : 550W x 420D x 165H mm






## L1715#WH

Console Lavatory Size : 500W x 370D x 60H mm








#### L1716#WH

Console Lavatory Size : 600W x 385D x 65H mm

TOTO GREEN CHALLENGE






#### LW1717B#XW

Console Lavatory Size : 700W x 400D x 70H mm

TOTO GREEN CHALLENGE






#### LW1615CB#XW

Console Lavatory Size : 500W x 460D x 70H mm (1 Tap Hole)

TOTO GREEN CHALLENGE






#### L1616C#WH

Console Lavatory Size : 600W x 460D x 70H mm (1 Tap Holes)








#### L1617#WH

Console Lavatory
Size: 700W x 460D x 70H mm
(1 Tap Holes)








#### LW1714B#XW

Console Lavatory Size : 400W x 400D x 60H mm

TOTO GREEN CHALLENGE






#### L1616B#XW

Console Lavatory
Size : 600W x 460D x 70H mm
(3 Taps Hole)


TOTO GREEN CHALLENGE





#### L1634#WH


Console Lavatory Size : 400W x 230D x 120H mm






#### L1734#WH

Console Lavatory Size : 400W x 230D x 120H mm






L710CSRE#W Self Rimming Size : 500W x 450D x 70H mm





#### LW574JW/F#W

Console Lavatory Size : 420W x 420D x 125H mm






#### LW1704B#XW

Console Lavatory Size : 400W x 400D x 60H mm

TOTO GREEN CHALLENGE






#### L367CRE#XW

Console Lavatory Size : 500W x 500D x 155H mm

TOTO GREEN CHALLENGE






## LW523NJ#W

Console Lavatory Size : 430W x 430D x160H mm


TOTO GREEN CHALLENGE





#### LW573JW/F#W


Console Lavatory Size : 420D x 125H mm





#### LW700CM#NW1


Console Lavatory (Outlet Hole: 44 mm) Size : 490W x 490D x 90H mm






#### LW648CJT1#W

Self Rimming Lavatory Size : 795W x 495D x 135H mm






LW538RCB#XW Self Rimming Lavatory (1 Tap Hole) Size : 482W x 482D x 186H mm





**LW530J#W**Self Rimming Lavatory
Size : 450W x 450D x 160H mm






#### LW526NJ#W

Cerabo Self Rimming Lavatory Size : 430W x 430D x 75D mm

TOTO GREEN CHALLENGE






#### L501CE#W

Self Rimming Lavatory Size : 508W x 432D x 230H mm


TOTO GREEN CHALLENGE





#### L909CE#XW

Pacifica Self Rimming Lavatory 1 Tap Hole Size : 650W x 455D x 200H mm






#### LW1514B#XW

Under Counter Lavatory Size : 470W x 470D x 147H mm

TOTO GREEN CHALLENGE






#### LW1515B#XW

Under Counter Lavatory Size : 570W x 430D x 147H mm








#### LW1516B#WH

Under Counter Lavatory Size : 670W x 450D x 147H mm


TOTO GREEN CHALLENGE





#### L620K#W


Under Counter Lavatory Size : 646W x 421D x 205H mm





#### L520E#W


Under Counter Lavatory Size : 604W x 365D x 135H mm





#### LW540MUNW1


Under Counter Lavatory Size : 590W x 415D x 200H mm





#### LW596RB#W


Under Counter Lavatory Size : 550W x 370D x 181H mm





#### LW542MUNW1

Under Counter Lavatory Size : 315W x 480D x 206H mm






#### LW1504B#XW

Under Counter Lavatory Size : 470W x 470D x 177H mm


TOTO GREEN CHALLENGE





#### LW546M#NW1


Under Counter Lavatory Size : 550W x 400D x 185H mm





#### LW548M#NW1


Under Counter Lavatory Size : 600W x 420D x 215H mm





#### LW587J#W


Under Counter Lavatory Size : 539W x 437D x 184H mm





#### LW651J#W


Under Counter Lavatory Size : 570W x 423D x 230H mm





#### LW569M#NW1


Under Counter Lavatory Size : 432W x 355D x 191H mm





#### **NEW** LW278JLW/F


Under Counter Lavatory 790W x 410D x 150H mm





#### **NEW** LW278JRW/F


Under Counter Lavatory Size : 790W x 410D x 150H mm





#### NEW LW279JW/F

Under Counter Lavatory Size : 1490W x 404D x 175H mm






#### LW712RCB#XW

Wall Hung Lavatory Size : 600W x 500D x 185H mm








#### LW248JR#W

(Right Tap Hole) Wall Hung Lavatory

#### LW248JL#W


(Left Tap Hole) Size : 510W x 260D mm x 150H mm





#### LW137Y#XW


Wall Hung Lavatory Size: 854W x 483D x 170H mm





#### NEW LW273CJ

Wall Hung Lavatory Size : 420W x 420D x 280H mm






#### LW136YWF#WH

Wall Hung Lavatory Size : 654W x 483D x 160H mm

#### LW136HFY#XW

Half Pedestal Size : 200W x 290D x 295H mm






#### LW286CM#NW1

(1 Tap Hole) Wall Hung Lavatory

#### LW286HFM#NW1

Half Pedestal Size : 550W x 430D x 512H mm






#### LW300CM#NW1

Wall Hung Lavatory

(Tap Hole)

## LW300HFM#NW1

Half Pedestal Lavatory Size : 500W x 430D x 468H mm






#### LW641NCJ#W

Semi Recessed Counter Lavatory Size : 505W x 505D x 115H mm (1 Tap Hole)








#### LW528NJ#W


Self Rimming Lavatory
Size : 440W x 440D x 75H mm





LW642CJ#W Semi Recessed Lavatory Size : 415W x 485D x 155H mm (1 Tap Hole)


# **LW642J#W** (3 Tap Hole)





LW647CJW/F#W Semi Recessed Lavatory Size : 520W x 420D x 157H mm (1 Tap Hole)

# **LW647JW/F#W** (3 Tap Hole)
















## **GYROSTREAM**

The bathroom is a space where health and well-being take centre stage. Gyrostream offers the same relaxing effect that you'd find in a bathtub. Rotating nozzles deliver a stimulating massage that spreads evenly over a wide area of the body.



## MECHANISM

Water sprays out through nozzles that rotate in two different directions resulting in a powerful flow of water. These water vortices provide an invigorating massaging effect.







## **AERIAL PULSE**

TOTO fixed shower heads are equipped with Aerial Pulse technology offering a voluminous flow with little water consumption. Air is drawn in through the shower head and added to the water. The shower head pulses the enlarged water droplets as they fall for a relaxing experience.







## **AERIAL SHOWER**

Aerial Shower aerates the water to make the shower experience more enjoyable. You feel as though you're standing below a particularly full stream without any increase in the amount of water used.







#### DBX117CA

Fixed Shower Head (Ceiling Type) Size : 600W x 530H mm
















#### NEW TBV02105B

3-Way Diverter with Stop Valve (2 nos) Size : 135W x 135H mm







#### NEW TBN01001B

MINI UNIT (3 nos) Size : 122W x 110D x 122H mm









#### DBX116-1C

Gyrostream Body-Shower (4 nos) Size : 100W x 100H mm








#### NEW TBV02402B

Thermostat Controller for 3 Outlet Use Size: 135W x 85D x 135H mm







#### NEW TBG01001B

Bath Spout Size : 175D x 61H mm





#### NEW TBW02013B

Wall Outlet (Square) Size : 54W x 49D








#### NEW TBW02006A

Hand Shower 3 Mode, Square with & hose Size : 110W x 222H mm










#### TMC95V101 R Thermostat Shower Tower Size : 260W x 604D x 1375H mm





# FITTINGS & SHOWERS



# I chose TOTO.

"Exquisite designs that catch the light." "Products that blend into the space."

"A truly refreshing bathe." "Quality I can depend on."

Everyday items should be chosen with care.

Because they care for you tomorrow.






# Shower and faucets for the space you dream of.

"I found the item I wanted, so I chose TOTO."

# Showers - product lineup



## Faucets - product lineup

|        | •          |           | •         |                |           |           |  |
|--------|------------|-----------|-----------|----------------|-----------|-----------|--|
| Series |            |           |           |                |           |           |  |
| Conco  | Single     | Lever w/  | Pop-Up    | Single L       |           |           |  |
| ZL     | TTLP02301B | TLP02303B | TLP02304B | TLP02306B      | TLP02307B | TLP02308B |  |
| GA     | TLG04301B  | TLG04304B | TLG04307B | TLG04303B      | TLG04306B | TLG04308B |  |
| GO     | TLG01301B  | TLG01304B | TLG01307B | 1<br>TLG01303B | TLG01306B | TLG01308B |  |
| GR     | TLG02301B  | TLG02304B | TLG02307B | TLG02303B      | TLG02306B | TLG02308B |  |
| GS     | TLG03301B  | TLG03303B | TLG03305B | TLG03302B      | TLG03304B | TLG03306B |  |
| LB     | TLS01301B  | TLS01304B | TLS01307B | TLS01303B      | TLS01306B | TLS01308B |  |
| LN     | TLS02301B  | TLS02303B | TLS02305B | TLS02302B      | TLS02304B | TLS02306B |  |
| LC     | TLS03301B  | TLS03303B | TLS03305B | TLS03302B      | TLS03304B | TLS03306B |  |
| LF     | TLS04301B  | TLS04304B | TLS04306B | TLS04303B      | TLS04305B | TLS04307B |  |

# Pursuing a lineup that makes you want to choose.

What's important to you? The promise of comfort-enhancing performance? Beautiful design that speaks to the heart? The sense of assurance you get knowing a product will perform reliably for a long time? TOTO's new lineup has all these things. A lineup that gives the pleasure of choice to everyone. Your ideal space, your ideal everyday, begin right here.

| Lavatory Faucet |           | Bathroom Faucet |           |           |               |                 |               |           |                |                   |                 |           |                      |
|-----------------|-----------|-----------------|-----------|-----------|---------------|-----------------|---------------|-----------|----------------|-------------------|-----------------|-----------|----------------------|
| Side<br>Handle  | Wall-N    | Mount           | 2 Handle  |           | Expo<br>Showe | osed<br>r Mixer | Conc<br>Showe |           | 2 Ha           | ndle              | Single<br>Lever | Spout     | Floor-Standing       |
| -               | TLP02309B | TLP02310B       | TLP02201B |           | -             | -               | TBP02301B     | TBP02302B | TBP02201B      | TBP02202B         | -               | TBP02001B | TBP02303B / TBN01105 |
|                 | TLG04309B | TLG04310B       | TLG04201B | TLG04101B | TBG04301B     | TBG04302B       | TBG04303B     | TBG04304B | TBG04201B      | TBG04202A         |                 | TBG02001B |                      |
| TLG01309B       | TLG01310B | TLG01311B       | TLG01201B |           | TBG01301B     | TBG01302B       | TBG01303B     | TBG01304B | TBG01201       | TBG01202A         | TBG01305A       | TBG01001B | TBG01306A / TBN01105 |
| -<br>TLG02309B  | TLG02310B | TLG02311B       | TLG02201B |           | TBG02301B     | TBG02302B       | TBG02303B     | TBG02304B |                | TBG02202A         | -<br>TBG02305A  | TBG02001B | TBG02306A / TBN01105 |
| -               | TLG03307B | TLG03308B       | TLG03201B |           | TBG03301B     | TBG03302B       | TBG03303B     | TBG03304B | TBG03201B      | TBG03202          | -               | TBG02001  | -                    |
| -               |           | TLS01310B       | TLS01201B | TLS01101B | TBS01301B     | TBS01302B       | TBS01303B     | TBS01304B | ∩<br>TBS01201B | 18501202B         | -               | TBG01001B | -                    |
| -               | TLS02307B | TLS02308B       | TLS02201B |           | TBS02301B     | TBS02302B       | TBS02303B     | TBS02304B | TBS02201B      | 7) A<br>TBS02202B | -               | TBS02001B | -                    |
| -               | TLS03307B | TLS03308B       | -         |           | TBS03301B     | TBS03302B       | TBS03303B     | TBS03304B | -              | -                 | -               | TBS03001B | -                    |
| -               | TLS04308B | TLS04309B       | -         |           | TBS04301B     | TBS04302B       | TBS04303B     | TBS04304B | -              | -                 | -               | -         | -                    |

<sup>\*</sup>Products may differ by region

# Quality you can feel with just a touch of the water.

"They're always pursuing quality, so I chose TOTO."



# From the past and into the future, building each day by hand.

However much things change, some stay the same. To TOTO this has always been the power of people, starting in 1946 with the goal of improving basin flush valves and the crafting of our first faucets. Skills and experiences have since passed between generations of artisans, in constant consideration of how to improve customers' lives and release consistently innovative products.

Strict quality control even at the prototype stage, with design and manufacture accurate to 1/100 mm detail. Machine polishing technology inherited from human ingenuity. Everyday a deeper understanding and skill in manipulating water. For TOTO, nothing is more important than pursuing a fundamental standard in safety, beauty and comfort.

Now we strive to add new value, improving on core quality while delivering increasingly functional and sophisticated designs. With people power as our driving force, we continue to release products building a "tomorrow" and "everyday" the likes of which the world has never seen.

# Redefining comfort for your everyday life.

"The technology was built with users' experience in mind, so I chose TOTO."

## **Engineering those important everyday moments.**


For a beautiful, comfortable everyday life, TOTO is developing a number of revolutionary technologies.



### **WARM SPA**



With a flow that envelops your body, this new kind of shower warms your body efficiently.



**COMFORT WAVE** 



A mix of large drops and normal spray lets you enjoy a shower of moderate intensity.



**ACTIVE WAVE** 



Large drops mean a more invigorating shower.



**HEAT PROTECT** 



Technology that keeps the faucet surface cool. Safe and compact.



**SAFETY THERMO** 



Reacts quickly to prevent sudden temperature shifts. 6 times faster than conventional systems.



**MINI UNIT** 



Unified exterior sizes for embedded faucets. Creates a balanced, beautiful bathroom space.



**COMFORT GLIDE** 



Control water flow in comfort. Love its long-lasting ease of use.

# The soothing sensation continues long after your shower ends.

"The technology makes a more enjoyable shower, so I chose TOTO."


# Making bathtime more stimulating.


Wash off the day's weariness. Welcome a new morning refreshed. Make this essential everyday experience not just a boring bathe, but a time of joy. TOTO's new shower series has elevated design and functionality. Enjoy a truly enriching experience with complete relaxation of body and soul.

## Showers - product lineup

| Exposed<br>Thermostat   | <i>i</i>  | TBV01401B | 1         | •         | _         |           |           |  |
|-------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--|
|                         | TBV01406B | TBV01407B | TBV01408B | TBV01101B | TBV01102B | TBV01103B | TBV01104B |  |
| Concealed<br>Thermostat | TBV02401B | TBV02403B | TBV02404B | TBV02101B | TBV02102B | TBV02103B | TBV02104B |  |
|                         | TBV02402B | TBV02405B | TBV02406B | TBV02105B | _         | _         | _         |  |
| Concealed<br>Valve      | TBN01001B |           | TBN01104B | TBN01101B | TBN01102B | TBN01103B | _         |  |








# A brand new shower system. Water like a warm cloak.

The feeling of a warm bath, in a shower. This is the power of the WARM SPA. A single pillar of warm water running quietly from the showerhead. When water hits the body, it follows the curves and envelops it without a splash. A completely new shower experience, warming your body efficiently.



## **WARM SPA**




### Let no heat escape. Be warmer.

Smooth water release means less heat loss. The water cloaks your body, quickly warming it. This feature is now available not only in conventional over head showers, but hand showers too.

# That quality : only TOTO.

The image depicts how the body warms up. The red area shows the warm parts of the body. Compared to conventional showers, it is evident that the WARM SPA warms the body more efficiently.







WARM SPA

conventional shower

# Large droplets of water, richly dense, give a luxurious sense of comfort.





## **COMFORT WAVE**





COMFORT WAVE uses a new nozzle to add larger drops of water to the shower, for a comfortable experience with just the right amount of stimulation.

## That quality:only TOTO.

The image illustrates water penetration. While the fine drops of the conventional shower bounce off the hair, the larger drops of the COMFORT WAVE reach all the way to the scalp.






COMFORT WAVE


conventional shower

# Stimulating to body and mind. Awakening to the senses.



# A newly developed nozzle for greater comfort.

We newly developed our original shower nozzles, with bigger droplets than conventional showers. Large drops of water swing and flow with power, delivering a comfortably stimulating bathe while saving water. Feel refreshed with the moderate-intensity COMFORT WAVE, and invigorated with the high-intensity flow of the ACTIVE WAVE.



### **ACTIVE WAVE**





ACTIVE WAVE uses the newly developed shower nozzle capable of large drops of water. It provides a more vigorous, more uplifting bathe than the COMFORT WAVE.

## That quality:only TOTO.

The image illustrates the comparison of the force of water. We examined the power of water flow against a transparent pool. ACTIVE WAVE has a stronger flow than a regular massage shower.





ACTIVE WAVE

conventional shower


# A perfect showering experience with just one touch.

# Choose your shower experience with a simple switch.

For the hand shower we installed a switch right at your fingertip, and for the over head shower the switch is located inside the showerhead. For the hand shower you can change easily between WARM SPA/COMFORT WAVE/ACTIVE WAVE, and for the over head shower between WARM SPA and COMFORT WAVE. Feel free to enjoy the perfect shower for your mood.

# **Hand Shower**






# Customize your shower for a unique sensation every time.

# Let luxury lead you to a new state of mind.

TOTO developed its multi-function shower for a more comfortable user experience. By quantitatively analyzing human sensation, we have researched and developed a shower with the optimum level of comfort. WARM SPA/COMFORT WAVE/ACTIVE WAVE are the pinnacles of this research. They will wash off negative feelings and guide you to a whole new state of mind. Wash away the weariness of the day, or wake up to a new morning with this shower. Let this time of luxury cleanse your soul.



# Create a pleasant shower experience that is safe for everyone.

# A unique approach to every risk.

For a pleasant shower, comfort is important but safety is essential. TOTO uses a unique structure developed through continuous research to prevent the various risks associated with taking a shower. [ Over head shower fall-prevention device ] Multiple structures for fall prevention. When used over many years, the hardware showerhead mount can loosen or break, meaning the showerhead could potentially fall. By incorporating a unique safety feature, we can prevent this from happening. Attached with screw

#### [Shower holder]

# Stopping plate peeling and rotation before they start.

### Holder (additional resin layer)

With our original safety design, we adopted a shower holder system from which the metal plating does not easily come off. Thus we can prevent injury caused by touching the area that would normally be exposed.

### Rubber cap ( with protrusion )

The showerhead is prevented from unintentionally spinning or coming off of the holder because of the power of the water.









anti-fly out




# G Selection Showers



### TBW01003A

1 Mode Fixed Shower Head (Wall Type) Size :  $220W \times 500D \times 147H \text{ mm}$ 








## TBW02003A

1 Mode Fixed Shower Head (Wall Type) Size : 220W x 495D x 147H mm








### TBW01004A

2 Mode Fixed Shower Head (Wall Type) Size : 220W x 500D x 147H mm










### TBW02004A

2 Mode Fixed shower Head (Wall Type) Size : 210W x 405D x 146H mm










#### TBW01005A

2 Mode Fixed Shower Head (Wall Type) Size : 300W x 550D x 135H mm











### TBN01002B

Concealed Box Size : 128W x 118D x 190H mm







### TBW01008A

1 Mode Hand Shower (W/Flexible Hose & Hanger) Size : 110W x 79D x 260H mm









### TBW02005A

1 Mode Hand Shower (W/Flexible Hose & Hanger) Size : 110W x 107D x 220H mm









### TBW01010A

3 Mode Hand Shower (W/Flexible Hose & Hanger) Size : 110W x 107D x 220H mm













**TBW02006A**3 Mode Hand Shower
(W/Flexible Hose & Hanger)
Size : 110W x 107D x 222H mm














## TBW02017A

1 Mode Hand Shower (W/Flexible Hose & Hanger) Size : 26W x 55D x 200H mm








# **Around Items**




### TBW01015B

Sliding Rail 900mm (Round) Size : 30W x 30D x 959H mm




# G Selection Showers Columns





**TBW01001A**Shower Column
w/ 1 Mode Fixed Shower Head (Round)
w/ o Hand Shower
Size : 220 Dia mm








### TBW02001A

Shower Column w/ 1 Mode Fixed Shower Head (Square) w/ o Hand Shower Size : 210 Dia mm








## TBW01002A

Shower Column w/ 2 Mode Fixed Shower Head (Round) w/ o Hand Shower Size : 155 Dia mm










### TBW02002A

Shower Column w/ 2 Mode Fixed Shower Head (Square) w/ o Hand Shower Size : 210 Dia mm










### TBW01301A

Single Lever Shower Column w/ 1 Mode Fixed Shower Head (Round) and Spout

w/ o Hand Shower Size : 220 Dia mm








## TBW01302A

Single Lever Shower Column w/ 1 Mode Fixed Shower Head (Round) w/ o Hand Shower Size : 220 Dia mm






### TBW01303A

Single Lever Shower Column w/ 2 Mode Fixed Shower Head (Round) w/ o Hand Shower Size : 220 Dia mm










### TBW01401A

Thermostat Shower Column w/ 1 Mode Fixed Shower Head (Round) and Spout w/ o Hand Shower Size : 220 Dia mm












### TBW01402A

Thermostat Shower Column w/ 1 Mode Fixed Shower Head (Round) w/ o Hand Shower Size : 220 Dia mm











### TBW01404A


Thermostat Shower Column w/ 2 Mode Fixed Shower Head (Round) w/ o Hand Shower Size : 220 Dia mm














# Experience a bathroom where safety and beauty become one.

## Unique technology keeps the surface cooler.

When you use hot water, the surface of the faucet also gets hot. TOTO's solution is a unique innovation in design. By covering the path of the hot water with a layer of cold, HEAT PROTECT is able to prevent burns when accidentally touching the fixtures.

# Industry-leading compactness brings sophisticated style.

We created the industry's smallest diameter of Ø45mm while providing superior insulation performance.





### That quality : only TOTO.

The diagram shows the temperature of the fixture after letting water run for 30 minutes, the hot water temperature set to  $60^{\circ}$ C, and cold set to  $15^{\circ}$ C. This demonstrates how the temperatures of the main parts of the faucet – those that make most contact with the human body – are prevented from rising.

~20°C 20°C~45°C 45°C~60°C




# Safe, reliable water temperature means a more relaxing bathtime.


## Temperature swings, solved in an instant.

Let's say a family member uses water while you are in the shower. This can often create a sudden, unwanted increase in the shower water temperature. SAFETY THERMO prevents this from happening. A coil made of Shape-Memory Alloy (SMA Coil) reacts instantly to water temperature change, keeping the temperature from rising.

## Temperature control, 6 times stronger.

Our SMA coil detects water temperature instantly. Compared to a traditional wax type, it reacts to hot water 6 times faster (in-house comparison).






The graph shows water temperature and time. It is apparent that a conventional faucet experiences large temperature fluctuations. In contrast, the graph for SAFETY THERMO shows very little change, as temperatures are kept very steady.



# Small. Flexible.

# The exact exterior you want.

Concealed faucets liven up the bathroom. TOTO's MINI UNIT is a technology that gives you more freedom. We don't match the concealed system to each trim, instead we use a shared module. You can choose the functionality you need such as a single lever type, thermostat type, or touch button type, and also make choices based on design features such as circle or square fixtures.




### Easier to install. Less load on the frame.

A high degree of flexibility when installing the MINI UNIT is one of its most attractive features. We were able to achieve one of the industry's smallest and lightest bodies for the concealed system. It puts only a minimal load on the architectural frames and has improved manageability during installation. In order to conceal the unit, the wall only needs to be 97mm, and the system is able to absorb installation errors of ±13mm.

### Industry-leading miniaturization. Beauty in balance.

We shrunk the unit to one of the industry's smallest. The trims are also some of the most compact. In addition, our progress towards uniform sizes mean units can be used simultaneously to create a beautiful space. We also strived to make the trim as thin as possible. A bathroom of unity and style can be yours.






# Personalize a space to match your lifestyle.



## 1 OUTLET



## The most simple.


A shower space designed with 1 shower outlet (choose between a hand shower, over head shower, or bath spout). It's the simplest way to enjoy a comfortable bath experience.

# Match your lifestyle to one of three shower systems.

TOTO showers. Besides water flow and design, you can choose the number of outlets as well. From something simple to highly decorated, options are available based on your lifestyle and style preference.



## **2 OUTLET**




## Enjoy a different kind of bathe.

A shower space designed with 2 shower outlets (hand shower + over head shower, for example). Depending on how you are feeling that day, you can change up between hand shower and over head shower.

— Hot water — Cold water — Mixing water



# **3 OUTLET**



## The most varied way to have fun.

A shower space designed with 3 shower outlets (hand shower, over head shower, bath spout). The system that will give you the most varied shower experience.

— Hot water — Cold water — Mixing water

# **Compatible trim variations**

A varied product lineup. Choose functionality and design based on your preferences.

|          |   |                          | Handle Type              | Switch Type        |                          |                    |  |
|----------|---|--------------------------|--------------------------|--------------------|--------------------------|--------------------|--|
|          |   | Round Design<br>(Ø135mm) | Square Design<br>(130mm) | Concealed<br>Valve | Square Design<br>(135mm) | Concealed<br>Valve |  |
| 1 OUTLET | Thermostat Mixer<br>With Volume Control | TBV01407B                | TBV02403B                |                    | TBV02405B                |                    |  |
|          | Single Lever Mixer<br>Without Diverter  | GO series<br>TBG01303B   | GR series<br>TBG02303B   | TBN01001B          | -                        | TBN01001B          |  |
|          |   | GS series<br>TBG03303B   | GA series<br>TBG04303B   |                    | -                        |                    |  |
| 2 OUTLET | Thermostat Mixer<br>With 2 Way Diverter | TBV01408B                | TBV02404B                |                    | TBV02406B                |                    |  |
|          | Single Lever Mixer<br>With Diverter     | GO series<br>TBG01304B   | GR series<br>TBG02304B   | TBN01001B          | -                        | TBN01001B          |  |
|          |   | GS series<br>TBG03304B   | GA series<br>TBG04304B   |                    | -                        |                    |  |
| 3 OUTLET | 3 Way Diverter<br>With Stop Valve       | TBV01102B                | TBV02102B                | TBN01104B          | TBV02105B                | TBN01001B          |  |
|          | +                                       | +                        | +                        | +                  | +                        | +                  |  |
|          | Thermostat Mixer<br>Only Temp. Control  | TBV01406B                | TBV02401B                | TBN01001B          | TBV02402B                | TBN01001B          |  |

# Instruction

| iiisti uctioii |   |   |
|----------------|---|---|
| 1 OUTLET       | Thermostat Mixer With Volume Control Handle Type  a Flow Rate Control Temp. Control           | Single Lever Mixer Without Diverter  3 Lever Up/down(On/off) 5 Flow Rate Control 7 Temp. Control                  |
| 2 OUTLET       | Thermostat Mixer With 2 Outlet Diverter Handle Type  1 Temp. Control Divert Flow Rate Control | Single Lever Mixer With Diverter  1 Lever Pull/push(Divert) Temp. Control Lever Up/down(On/off) Flow Rate Control |
| 3 OUTLET       | Thermostat Mixer With Volume Control Handle Type  a Flow Rate Control  b Divert  o Off        | + Thermostat Mixer Only Temp. Control Handle Type  Temp. Control  |

# MIXER PRODUCTS

# Concealed Thermostat (For 1/2/3 Outlet)



### TBV01407B

Thermostat Controller for 1 Outlet Use Size : 135W x 72D x 135H mm











## TBV02403B

Thermostat Controller for 1 Outlet Use Size : 130W x 72D x 130H mm











#### TBV02405B

Thermostat Controller for 1 Outlet Use Size : 135W x 75D x 135H mm











#### TBV01408B

Thermostat Controller for 2 Outlet Use Size : 135W x 72D x 135H mm












### TBV02404B

Thermostat Controller for 2 Outlet Use Size : 130W x 85D x 130H mm












## TBV02406B

Thermostat Controller for 2 Outlet Use Switch Type Size : 135W x 72D x 135H mm












## TBV01406B

Thermostat Controller for 3 Outlet Use Size : 135W x 80D x 135H mm












## TBV01102B

3 Way Diverter for Thermostat 3 Outlet Use

Size : 135W x 85D x 135H mm





# MIXER PRODUCTS







### TBV02401B

Thermostat Controller for 3 Outlet Use Size : 130W x 85D x 130H mm










### TBV02102B

3 Way Diverter for Thermostat 3 Outlet Use

Size : 130W x 85D x 130H mm









### TBV02402B

Thermostat Controller for 3 Outlet Use Switch Type Size : 135W x 85D x 135H mm









#### TBV02105B

3 Way Diverter for Thermostat 3 Outlet Use

Switch Type Size : 135W x 21D x 135H mm










### TBN01001B

MINI UNIT Size : 122W x 123D x 122H mm










### TBN01104B

Valve Unit

for On/Off Valve Size : 87W x 83D x 87H mm




# Concealed Value (For Other Arrangements)



#### TBV01101B

On/Off Valve Size : 135W x 85D x 135H mm





# MIXER PRODUCTS

# Concealed Value (For Other Arrangements)



### TBV01103B

2 Way Diverter w/o On/Off Valve Size : 135W x 85D x 135H mm








### TBV01104B

3 Way Diverter w/o On/Off Valve Size : 135W x 85D x 135H mm








### TBV02101B

On/Off Valve Size : 130W x 85D x 130H mm








## TBV02103B

2 Way Diverter w/o On/Off Valve Size : 130W x 85D x 130H mm








### TBV02104B

3 Way Diverter w/o On/Off Valve Size : 130W x 85D x 130H mm



-130-






## TBN01101B

Valve Unit for 3 Way Diverter w/ On/Off Valve Size : 87W x 83D x 87H mm








### TBN01102B

Valve Unit for 2 Way Diverter Size : 87W x 83D x 87H mm








### TBN01103B

Valve Unit for 3 Way Diverter w/o On/Off Valve Size : 87W x 83D x 87H mm






### TBV01401B

Thermostat Shower Mixer : 298W x 96D x 65H mm












### TBV01402B

Thermostat Bath & Shower Mixer










### **Recommended shower combination**

| Round type  | TBW01004A | TBW01010A | TBW01016B | TBW01014B |  |
|-------------|-----------|-----------|-----------|-----------|--|
| Square type | TBW02004A | TBW02006A | TBW02012B | TBW02013B |  |


<sup>\*1.</sup> Need MINI UNIT (TBN01001B) separately \*2. Need Valve (TBN01101B) separately \*3. Need Valve (TBN01104B) separately \*4. Need Valve (TBN01102B) separately \*5. Need Valve (TBN01103B) separately \*6. Fall prevention feature \*7. Safety design resin hanger

# THERMOSTAT & VALVE PRODUCTS

# **Shower Mixer**



# THERMOSTAT & VALVE PRODUCTS




# THERMOSTAT & VALVE PRODUCTS



#### **GA Series** TBG04301B

Singler Lever Shower Mixer 186W x 133D x 99H mm








#### **GA Series** TBG04302B

Singer Lever Bath & Shower Mixer Size : 185W x 192D x 103H mm








#### **GO Series** TBG01301B

Single Lever Shower Mixer Size : 166W x 106D x 81H mm








#### **GO Series** TBG01302B

Single Lever Bath & Shower Mixer

182W x 197D x 120H mm








#### **GR Series** TBG02301B

Single Lever Shower Mixer Size : 166W x 96D x 79H mm








#### **GR Series** TBG02302B

Singler Lever Bath & Shower Mixer 182W x 190D x 107H mm








#### **GS Series** TBG03301B

Single Lever Shower Mixer : 166W x 108D x 79H mm








#### **GS Series** TBG03302B


Singler Lever Bath & Shower Mixer Size : 166W x 141D x 94H mm








# THERMOSTAT & VALVE PRODUCTS





LF Series TBS04301B Single Lever Shower Mixer


Size : 159W x 100D x 86H mm





LF Series TBS04302B

Single Lever Bath & Shower Mixer Size : 166W x 170D x 104H mm



# Designs as individual as you are.

"I was captured by the designs, so I chose TOTO."

## The right faucets for anyone's needs.

Just as every single person is an individual, so to are their ideal faucets. TOTO is proud to introduce a new design series that makes choice more free and enjoyable for all. Every faucet is beautiful, fresh and easy to use, polished to the last detail. We are certain there will be a product that will appeal to you.


### Faucets - product lineup

| Series | Lavatory Faucet        |           |           |                         |           |           |                      |           |           |           |  |
|--------|------------------------|-----------|-----------|-------------------------|-----------|-----------|----------------------|-----------|-----------|-----------|--|
| Selles | Single Lever w/ Pop-Up |           |           | Single Lever w/o Pop-Up |           |           | Side Hand <b>l</b> e | Wall-     | Mount     | 2 Handle  |  |
| ZL     | TLP02301B              | TLP02304B | TLP02307B | TLP02303B               | TLP02306B | TLP02308B |                      | TLP02309B | TLP02310B | TLP02201B |  |
| GA     | TLG04301B              | TLG04304B | TLG04307B | TLG04303B               | TLG04306B | TLG04308B | _                    | TLG04309B | TLG04310B | TLG04201B |  |
| GO     | TLG01301B              | TLG01304B | TLG01307B | TLG01303B               | TLG01306B | TLG01308B | TLG01309B            | TLG01310B | TLG01311B | TLG01201B |  |
| GR     | TLG02301B              | TLG02304B | TLG02307B | TLG02303B               | TLG02306B | TLG02308B | TLG02309B            | TLG02310B | TLG02311B | TLG02201B |  |
| GS     | TLG03301B              | TLG03303B | TLG03305B | TLG03302B               | TLG03304B | TLG03306B | -                    | TLG03307B | TLG03308B | TLG03201B |  |
| LB     | TLS01301B              | TLS01304B | TLS01307B | TLS01303B               | TLS01306B | TLS01308B | _                    | TLS01309B | TLS01310B | TLS01201B |  |
| LN     | TLS02301B              | TLS02303B | TLS02305B | TLS02302B               | TLS02304B | TLS02306B | -                    | TLS02307B | TLS02308B | TLS02201B |  |
| LC     | TLS03301B              | TLS03303B | TLS03305B | TLS03302B               | TLS03304B | TLS03306B | -                    | TLS03307B | TLS03308B |           |  |
| LF     | TLS04301B              | TLS04304B | TLS04306B | TLS04303B               | TLS04305B | TLS04307B | _                    | TLS04308B | TLS04309B |           |  |



|   |           | Bathroom Faucet           |           |             |              |                   |           |              |           |                    |  |  |
|---|-----------|---------------------------|-----------|-------------|--------------|-------------------|-----------|--------------|-----------|--------------------|--|--|
|   | Cold Only | Only Exposed Shower Mixer |           | Concealed S | Shower Mixer | 2 Ha              | ndle      | Single Lever | Spout     | Floor-Standing     |  |  |
|   |           |                           |           | TBP02301B   | TBP02302B    | TBP02201B         | TBP02202B |              | TBP02001B | TBP02303B/TBN01105 |  |  |
| • | TLG04101B | TBG04301B                 | TBG04302B | TBG04303B   | TBG04304B    | TBG04201B         | TBG04202A | _            | TBG02001B | -                  |  |  |
|   | -         | TBG01301B                 | TBG01302B | TBG01303B   | TBG01304B    | TBG01201B         | TBG01202A | TBG01305A    | TBG01001B | TBG01306/TBN01105  |  |  |
|   | -         | TBG02301B                 | TBG02302B | TBG02303B   | TBG02304B    | TBG02201B         | TBG02202A | TBG02305B    | TBG02001B | TBG02306A/TBN01105 |  |  |
|   | -         | TBG03301B                 | TBG03302B | TBG03303B   | TBG03304B    | TBG03201B         | TBG03202A | _            | TBG01001B | -                  |  |  |
|   | TLS01101B | TBS01301B                 | TBS01302B | TBS01303B   | TBS01304B    | 7) L<br>TBS01201B | 18501202B | _            | TBG01001B | _                  |  |  |
|   | -         | TBS02301B                 | TBS02302B | TBS02303B   | TBS02304B    | TBS02201B         | 18502202B | _            | TBS02001B | -                  |  |  |
|   | -         | TBS03301B                 | TBS03302B | TBS03303B   | TBS03304B    | -                 | _         | _            | TBS03001B | _                  |  |  |
|   | -         | TBS04301B                 | TBS04302B | TBS04303B   | TBS04304B    | -                 | -         | -            | -         | -                  |  |  |

\*Products may differ by region



# Smart design, fascinating forms.

### Refined design, down to the last detail.

The handle and body share the same axis, one seamless shape for beautiful gilt reflections. Installing the tip of the spout inside means it's easier to clean and gives a smart silhouette. With care taken for the smallest detail, TOTO's unique lineup makes a space that will fascinate you before you know it.



# Freedom to design Your personal unique space.

### Mix & match to your taste.

In addition to the standard Polished Chrome, we offer Brushed Nickel, Polished Nickel, Brushed French Gold and Polished French Gold with a total of 5 color choices. The color variations capture current trends and help create spaces fit for various personal tastes.





### Conspicuous in its absence, a space of ultimate luxury.

We achieved a thin edge of just 3mm. One of the world's thinnest spouts and beautifully contoured lines brings you ultimate silence. It's as thin as a steel plate, and its serene appearance will fit seamlessly into any space. In order to achieve this, we used stainless steel welding technology, an unusual method for faucet production. This innovative approach made it possible to achieve a thinness unattainable by ordinary methods. We put all of TOTO's knowledge and technology into creating a beautiful finish to the faucet, such as inconspicuous joints and a polished, mirror-like surface. Of course, we achieved a full, strong water flow, fitting for such a high-end faucet series. Quiet yet impactful, we bring you a new design that combines these seemingly opposing concepts.

### [ZL series]







# ZL SERIES



# **ZL SERIES**



#### TLP02303B

Single Lever Lavatory Faucet w/o Pop-Up Waste Size : 55W x 172D x 114H mm












#### TLP02304B

Single Lever Lavatory Faucet for Semi-tall Vessel w/ Pop-Up Waste Size : 55W x 172D x 174H mm












#### TLP02306B

Single Lever Lavatory Faucet for Semi-tall Vessel w/o Pop-Up Waste Size : 55W x 172D x 174H mm












#### TLP02307B

Single Lever Lavatory Faucet for Tall Vessel w/ Pop-Up Waste Size : 55W x 192D x 224H mm












#### TLP02308B

Lavatory Faucet for Tall Vessel w/o Pop-Up Waste Size : 55W x 192D x 224H mm












#### TLP02309B Wall Mounted

Lavatory Faucet (Short Spout) \*1 Size : 152W x 182D x 70H mm








#### TLP02310B

Wall Mounted Lavatory Faucet (Short Spout) \*1 Size : 152W x 226D x 70H mm






# **ZL SERIES**



#### TLP02201B

2 Handle Lavatory Faucet (3 Hole) \*2 Size : 225W x 172D x 114H mm








#### TBP02301B

Single Lever Shower Mixer \*3 Size : 135W x 100D x 135H mm











#### TBP02502B

Single Lever Bath & Shower Mixer w/ Diverter \*3 Size : 200W x 250H mm










#### TBP02001B

Bath Spout Size : 100W x 222D x 67H mm








#### TBP02201B

Bath Filler (3 Hole)\*2 Size : 90W x 273D x 107H mm






#### TBP02202B

Bath & Shower Set (4 Hole) \*2

Size : 55W x 276D x 117H mm







#### TBP02303B

Floor Standing Bath & Shower Set \*4 Size : 130W x 360D x 855H mm











Polished Chrome

#BN

Brushed Polished Nickel Nickel #PN



Brushed French Gold #BFG



Polished French Gold #PFG

### **Recommended shower combination**







TBW02006\*6



TBW01013B \*5



TBW01018B \*6



TBW02012B \*6



TBW02013B





# Decorate your space with the new standard of beauty.

### The union of taut curves and edges.

The top surface's taut curve, the spout's smooth one and the sharp line of the edge: such variation in the silhouette gives the shape a unique presence. The keen edge and flow of the smooth surface reminds one of the exquisite craftwork only achievable by a master craftsman. Well composed and elegant, welcome a series that sets an advanced standard for the new generation.

### [GA series]



# **GA SERIES**




#### TLG04301B

Single Lever Lavatory Faucet w/ Pop-Up Waste Size : 48W x 174D x 147H mm









#### TLG04303B

Single Lever Lavatory Faucet w/o Pop-Up Waste Size : 55W x 104D x 149H mm











### TLG04304B

Single Lever Lavatory Faucet for Semi-tall Vessel w/o Pop-Up Waste Size : 45W x 119D x 209H mm












#### TLG04306B

Single Lever Lavatory Faucet for Semi-tall Vessel w/o Pop-Up Waste Size : 45W x 119D x 209H mm










### TLG04307B

Single Lever Lavatory Faucet for Tall Vessel w/o Pop-Up Waste Size : 55W x 149D x 259H mm












### TLG04308B

Single Lever Lavatory Faucet for Tall Vesse w/o Pop-Up Waste Size: 55W x 149D x 259H mm












TLG04309B
Wall Mounted
Lavatory Faucet
(Short Spout)
Size : 170W x 202D x 115H mm








#### TLG04310B

Wall Mounted Lavatory Faucet (Longt Spout) Size : 170W x 252D x 109H mm








### TLG04201B

2 Handle

Lavatory Faucet (3 Hole) Size : 270W x 105D x 110H mm






### TLG04101B

Single Lever Lavatory Faucet (Cold Water) Size : 95W x 85D x 139H mm






# **GA SERIES**



#### TBG04301B

Sinigle Lever Shower Mixer Size : 186W x 137D x 118H mm








#### TBG04302B

Single Lever Bath & Shower Mixer Size : 185W x 192D x 103H mm








#### TBG04303B

Single Lever Shower Mixer Size : 130W x 60D x 130H mm












#### TBG04304B

Single Lever Bath & Shower Mixer w/ Diverter Size : 130W x 60D x 130H mm












#### TBG02001B

Bath Spout Size : 67W x 195D x 67H mm






### TBG04201B Bath Filler (3 Hole) Size : 340W x 272D x 117H mm



TBG04202A Bath & Shower Set (4 Hole) Size : 270W x 272D x 117H mm









Brushed Nickel #BN



Polished Nickel #PN



Brushed French Gold #BFG



Polished French Gold #PFG

#### **Recommended shower combination**















<sup>\*1.</sup> Without waste fitting \*2. 2 handle heat transfer prevention design \*3. Need MINI UNIT (TBN01001) separately \*4. Fall prevention feature \*5. Safety design resin hanger





# Organic forms for your natural wellbeing.


### Delicate elegance. Quality and volume.

The back panel's graceful curve reaches towards the top. We pursued an organic form, like a plant that straightens itself gracefully when bathed in sunlight and soaked in water from its roots. Its gentle, elegant and exquisite silhouette enlivens the space gracefully. This series will live with you, stay right beside you and support your everyday life.

### [GO series]









#### TLG01306B

Single Lever Lavatory Faucet for Semi-tall Vessel w/ Pop-Up Waste


w/ Pop-Up Waste Size : 45W x 124D x 239H mm














#### TLG01307B

Single Lever Lavatory Faucet for Tall Vessel w/ Pop-Up Waste



reddot award 2017 best of the best







#### TLG01308B

Single Lever Lavatory Faucet for Tall Vessel w/ Pop-Up Waste Size: 45W x 145D x 289H mm












#### TLG01309B

Single Lever Lavatory Faucet (Side Handle) Size : 45W x 145D x 248H mm










#### TLG01310B

Wall Mounted
Lavatory Faucet
(Short Spout)

(Short Spout) Size : 170W x 200D x 115H mm








#### TLG01311B

Wall Mounted Lavatory Faucet (Long Spout) Size : 170W x 248D x 115H mm








#### TLG01201B

2 Handle Lavatory Faucet (3 Hole) Size : 345W x 105D x 128H mm








#### TBG01301B

Single Lever Shower Mixer

Size : 182W x 107D x 82H mm








#### TBG01302B

Single Lever Bath & Shower Mixer Size : 182W x 198D x 120H mm







### TBG01303B

Single Lever Shower Mixer Size : 135W x 52D x 135H mm













#### TBG01304B

Single Lever Bath & Shower Mixer w/ Diverter : 135W x 79D x 135H mm












#### TBG01001B


Bath Spout Size : 67W x 175D x 67H mm





#### TBG01201B

Bath Filler (3 Hole) Size : 310W x 220D x 119H mm






#### TBG01305A

Bath & Shower Set

(3 Hole) Size : 245W x 220D x 118H mm










#### TBG01202A

Bath & Shower Set (4 Hole) Size : 385W x 220D x 118H mm








#### TBG01306A/TBN01105

Floor Standing Bath & Shower Set Size : 130W x 350D x 880H mm











Polished Chrome



Nickel #BN

Polished Nickel #PN



Brushed French Gold #BFG



Polished French Gold #PFG

#### **Recommended shower combination**



TBW01004A \*5











\*1. Without waste fitting \*2. 2 handle heat transfer prevention design \*3. Need MINI UNIT (TBN01001) separately \*4. Need Installation Base (TBN01105) separately \*5. Fall prevention feature \*6. Safety design resin hanger





# Geometric shapes that sparkle.

### See elegance in reflections.


The sharp edge of the spout and handle gives a proper weight to the product. In contrast, the top panel incorporates curves and a soft slope, making the overall impression one of regal elegance.

Just like a glass sparkling on the bar, it boasts a splendid presence. Enjoy its geometric forms and the beautiful expressions within the sparkles.

### [GR series]










#### TLG02306B

Single Lever Lavatory Faucet for Semi-tall Vessel w/ Pop-Up Waste Size : 55W x 137D x 207H mm










#### TLG02307B

Single Lever Lavatory Faucet for Tall Vessel w/ Pop-Up Waste Size : 45W x 157D x 257H mm





reddot award 2017 winner






#### TLG02308B

Single Lever Lavatory Faucet for Tall Vessel w/ Pop-Up Waste Size : 45W x 157D x 257H mm










#### TLG02309B

Single Lever Lavatory Faucet (Side Handle) Size : 45W x 147D x 220H mm








#### TLG02310B

Wall Mounted Lavatory Faucet (Short Spout)

(Short Spout) Size : 170W x 204D x 115H mm








#### TLG02311B

Wall Mounted Lavatory Faucet (Long Spout) Size : 170W x 236D x 115H mm








#### TLG02201B

2 Handle Lavatory Faucet (3 Hole) Size : 310W x 118D x 96H mm








#### TBG02301B

Single Lever

Shower Mixer Size : 182W x 96D x 79H mm








#### TBG02302B

Single Lever Bath & Shower Mixer Size :  $182W \times 190D \times 107H \text{ mm}$ 







#### TBG02303B

Single Lever Shower Mixer Size : 130W x 35D x 130H mm











#### TBG02304B

Single Lever Bath & Shower Mixer

w/ Diverter Size : 130W x 93D x 130H mm











#### TBG02001B

Bath Spout Size : 67W x 175D x 67H mm








#### TBG02201B

Bath Filler (3 Hole) Size : 295W x 221D x 117H mm






#### TBG02305

Bath & Shower Set (3 Hole) Size : 60W x 221D x 117H mm












#### TBG02202

Bath & Shower Set

(4 Hole) Size : 50W x 221D x 117H mm








### TBG02306 / TBN01105

Floor Standing Bath & Shower Set Size : 130W x 356D x 876H mm









Chrome

Polished Nickel



#BN

Polished Nickel #PN







Polished French Gold #PFG

### **Recommended shower combination**







TBW02006A \*6



TBW01013B \*5



TBW01018B \*6




TBW02012B \*6



TBW02013B

<sup>\*1.</sup> Without waste fitting \*2. 2 handle heat transfer prevention design \*3. Need MINI UNIT (TBN01001) separately \*4. Need Installation Base (TBN01105) separately \*5. Fall prevention feature \*6. Safety design resin hanger





# Set the standard for every day beauty.

### Smooth shapes that will become a standard.

A standard design with modern twists dotted here and there. A series fit for modern living spaces. We imagined man-made forms such as cylinder and rectangular columns changing slowly over many years, gradually showing traces of smooth organic lines. The top panel's soft bulge is like the surface of the water about to flow over. We pursued a standard look, sure to be loved for generations.

### [GS series]



reddot award 2018 best of the best

# **GS SERIES**



#### TLG03301B

Single Lever Lavatory Faucet w/ Pop-Up Waste Size : 55W x 115D x 173H mm












TLG03302B Single Lever Lavatory Faucet w/ Pop-Up Waste Size : 55W x 115Dx 173H mm











#### TLG03303B

Single Lever Lavatory Faucet for Semi-tall Vessel w/ Pop-Up Waste Size : 55W x 135D x 223H mm











### TLG03304B

Single Lever Lavatory Faucet for Semi-tall Vessel w/ Pop-Up Waste Size : 55W x 135D x 233H mm











#### TLG03305B

Single Lever Lavatory Faucet for Tall Vessel w/ Pop-Up Waste Size : 55W x 165D x 283H mm









# **GS SERIES**



#### TLG03306B

Single Lever Lavatory Faucet for Tall Vessel w/ Pop-Up Waste Size : 165W x 55D x 283H mm












# TLG03307B Wall Mounted

Lavatory Faucet (Short Spout) Size : 175W x 195D x 102H mm








#### TLG03308B

Wall Mounted Lavatory Faucet (Short Spout) Size : 175W x245D x 102H mm








#### TLG03201B

2 Handle Lavatory Faucet

(3 Hole) Size : 240W x 112D x 121H mm






#### TBG03301B

Single Lever Shower Mixer Size : 205W x 175D x 65H mm






# **GS SERIES**



#### TBG03302B

Single Lever Bath & Shower Mixer Size : 205W x 188D x 125H mm








#### TBG03303B

Single Lever Shower Mixer Size : 135W x 51D x 135H mm










#### TBG03304B

Single Lever Bath & Shower Mixer w/ Diverter Size : 135W x 74D x 135H mm












#### TBG01001B


Bath Spout Size : 67W x 175D x 67H mm





#### TBG03201B

Bath Filler (3 Hole) Size : 380W x 220D x 127H mm






#### TBG03202A

Bath & Shower Set (4 Hole) Size : 340W x 220D x 127H mm







Polished Chrome



Nickel #BN



Polished Nickel #PN



Brushed French Gold #BFG



Polished French Gold #PFG

### **Recommended shower combination**















<sup>\*1.</sup> Without waste fitting \*2. 2 handle heat transfer prevention design \*3. Need MINI UNIT (TBN01001) separately \*4. Fall prevention feature \*5. Safety design resin hanger



Easy to use for a lifetime of comfort.


#### Ease of use, based in sensation.


Comfort. For TOTO, this does not simply mean comfort of movement. Ease of use, when it lasts a long time, becomes comfort in itself. For this purpose, TOTO has developed the internal valve based on users' touch. Designed from the ground up to provide a fundamental comfort in operation.




#### Precise flow control, exclusive to TOTO.

Our exclusive technology means new functionality. We took the core component of the valve, the ceramic disc, and customized its shape for ease of use. Compared to conventional faucets, it's easier to control water flow when just a little is required, such as when you are washing a contact lens. Because you can achieve the right amount of water flow instantly, it helps conserve water.








# The simplest designs can be the most beautiful.

## A beautiful blending of branches.

Composed of combinations of simple cylinders, pulled together by planes with smooth curves. We strived for a beauty that, like branches of a tree, brings organic forms into an inorganic space. Enjoy your everyday in a simply sophisticated space.

(LB series)



# LB SERIES



#### TLS01201B

2 Handle Lavatory Faucet

(3 Hole) Size : 300W x 119D x 195H mm






#### TLS01101B

Single Lever Lavatory Faucet

(Cold Water) Size : 55W x 123D x 153H mm






#### TBS01301B

Single Lever

Shower Mixer Size : 185W x 128D x 166H mm






#### TBS01302B

Single Lever

Bath & Shower Mixer Size : 166W x 141D x 118H mm








#### TBS01303B

Single Lever Shower Mixer w/ Valve Size : 135W x 54D x 114H mm







#### TBS01304B

Single Lever Bath & Shower Mixer w/ Diverter and Valve Size : 135W x 81D x 174H mm







#### TBG01001B

Bath Spout Size : 67W x 175D x 67H mm






#### TBS01201B

Bath Filler

(3 Hole) Size : 240W x 234D x 247H mm






#### TBS01202B

Bath & Shower Set

(4 Hole) Size : 240W x 220D x 247H mm



#### **Recommended shower combination**















TBW01018B \*4



TBW01016B \*4






# Classical elegance for a new today.

## Modern approach, classical touch.

A hint of nostalgia within a modern vibe. We wanted to create a look and form where two different styles work together. A beauty that exists only in this day and age. Simple yet classical elegance to decorate your everyday.

(LN series)

## LN SERIES




# LN SERIES



TLS02201B 2 Handle Lavatory Faucet

(3 Hole) Size : 210W x 120D x 220H mm






#### TBS02301B

Single Lever Shower Mixer

Size : 166W x 135D x 85H mm







#### TBS02302B

Single Lever Bath & Shower Mixer Size : 166W x 170D x 93H mm








### TBS02303B

Single Lever Shower Mixer w/ Valve Size: 135W x 69D x 148H mm







#### TBS02304B

Single Lever Bath & Shower Mixer w/ Diverter and Valve Size : 135W x 138D x 178H mm








#### TBS02001B

Bath Spout

Size : 67W x 170D x 82H mm






# LN SERIES



#### TBS02201B

Bath Filler

(3 Hole) Size : 240W x 220D x 249H mm






#### TBS02202B

Bath & Shower Set

(4 Hole) Size : 240W x 220D x 244H mm



#### **Recommended shower combination**







TBW01010A \*4








TBW03002B \*4







TBW01014B



# Flowing curves that look better every day.

## Complimentary designs that never lose their appeal.


A wholly rounded form compliments the ridgeline. The top panel's three-dimensional surface emphasizes its material quality. The smooth, sea glass-like form will refresh your senses with every touch. It blends right into the daily life of many different kinds of people.

(LC series)



#### TLS03301B


Single Lever Lavatory Faucet w/ Pop-Up Waste Size : 55W x 95D x 148H mm





#### TLS03302B


Single Lever Lavatory Faucet w/o Pop-Up Waste Size : 55W x 95W x 148H mm





#### TLS03303B

Single Lever Lavatory Faucet for Semi-tall Vessel w/ Pop-Up Waste Size : 55W x 95D x 258H mm






#### TLS03304B

Single Lever Lavatory Faucet for Semi-tall Vessel w/o Pop-Up Waste Size : 55W x 95D x 258H mm








#### TLS03305B

Single Lever Lavatory Faucet for Tall Vessel

w/ Pop-Up Waste Size : 55W x 95D x 318H mm





#### TLS03306B

Single Lever Lavatory Faucet for Tall Vessel w/o Pop-Up Waste Size : 55W x 95D x 318H mm






# LC SERIES



#### TLS03307B

Wall Mounted Lavatory Faucet


(Short Spout) Size : 120W x 218D x 273H mm





TLS03308B Wall Mounted Lavatory Faucet

(Long Spout) Size : 170W x 268D x 120HH mm






#### TBS03301B

Single Lever


Shower Mixer Size : 166W x 140D x 99H mm





#### TBS03302B

Single Lever Bath & Shower Mixer Size : 166W x 149D x 165H mm






#### TBS03303B

Single Lever Shower Mixer

w/ Valve Size : 135W x 70D x 143H mm








#### TBS03304B

Single Lever Bath & Shower Mixer

w/ Diverter and Valve Size : 135W x 140D x 173H mm







**TBS03001B**Bath Spout
Size : 67W x 145D x 67H mm



#### **Recommended shower combination**

















TBW01014B

 $<sup>^{\</sup>star}$  1. Without waste fitting  $^{\star}$  2. Fall prevention feature  $^{\star}$  3. Safety design resin hanger



# Breathe new life into your bathroom.

More compact, yet more volume and flow.

A casual look designed with everyday use in mind. We achieved the dual senses of size and tension even in a tight bathroom space, while keeping the form fresh. There's just the right sense of volume and presence. This series was born of the desire to bring flexibility to the everyday lives of various people, just as your favorite silverware might.

(LF series)



#### TLS04301B

Single Lever Lavatory Faucet w/ Pop-Up Waste Size : 55W x 95D x 143H mm







#### TLS04303B

Single Lever Lavatory Faucet w/o Pop-Up Waste Size : 55W x 95D x 143H mm







#### TLS04304B

Single Lever Lavatory Faucet for Semi-tall Vessel w/ Pop-Up Waste Size : 55W x 95D x 253H mm







#### TLS04305B

Single Lever Lavatory Faucet for Semi-tall Vessel w/o Pop-Up Waste Size : 55W x 95D x 253H mm







#### TLS04306B

Single Lever Lavatory Faucet for Tall Vessel

w/ Pop-Up Waste Size : 55W x 95D x 313H mm







#### TLS04307B

Single Lever Lavatory Faucet for Tall Vessel w/o Pop-Up Waste Size : 55W x 95D x 313H mm






# LF SERIES



#### TLS04308B

Wall Mounted Lavatory Faucet

(Short Spout) Size : 170W x 218D x 110H mm






#### TLS04309B

Wall Mounted Lavatory Faucet


(Long Spout) Size : 170W x 268D x 110H mm





#### TBS04301B


Single Lever Shower Mixer Size : 166W x 135D x 165H mm





#### TBS04302B

Single Lever Bath & Shower Mixer Size : 166W x 144D x 165H mm





#### TBS04303B

Single Lever Shower Mixer

w/ Valve Size : 135W x 65D x 143H mm








#### TBS04304B

Single Lever Bath & Shower Mixer
w/ Diverter and Valve
Size: 135W x 130D x 135H mm







#### TBS03001B

Bath Spout Size : 67W x 145D x 67H mm



#### **Recommended shower combination**




















TBW01014B

<sup>\*1.</sup> Without waste fitting \*2. Fall prevention feature \*3. Safety design resin hanger

# Safety with you in mind



#### That quality: only TOTO.

We imagined the worst case usage scenario, and worked back from there to determine the required surface temperature. For example, even when 90°C hot water passes through, the area that comes into hand contact will remain 45°C (close to shower temperature) or less.


#### **For Lavatory Space**



#### ZL Series TLP02201B

2 Handle Lavatory Faucet (3 Hole)

(3 Hole) Size : 225W x 172D x 114H mm






#### GA Series TLG04201B

2 Handle Lavatory Faucet

(3 Hole) Size : 270W x 112D x 110H mm






#### GO Series TLG01201B

2 Handle Lavatory Faucet

(3 Hole) Size : 200W x 105D x 128H mm






#### GR Series TLG02201B

2 Handle Lavatory Faucet (3 Hole)

(3 Hole) Size : 345W x 105D x 128H mm






#### GS Series TLG03201B

2 Handle Lavatory Faucet

(3 Hole) Size : 200W x 112D x 121H mm






#### LB Series TLS01201B

2 Handle Lavatory Faucet (3 Hole)

(3 Hole) Size : 200W x 120D x 195H mm






#### LN Series TLS02201B

2 Handle Lavatory Faucet (3 Hole)

(3 Hole) Size : 200W x 200D x 220H mm



#### For Bathtub Space



#### **ZL Series** TBP02201B

Bath Filler

(3 Hole) Size : 255W x 200W x 114H mm






#### **ZL Series** TBP02202B

Bath & Shower Set

(4 Hole) Size : 295W x 356D x 117H mm








#### **GA Series** TBG04201B

Bath Filler

(3 Hole) Size : 240W x 220D x 117H mm






#### **GA Series** TBG04202A

Bath & Shower Set

(4 Hole) 240W x 220D x 117H mm








#### **GO Series** TBG01201B

Bath Filler

(3 Hole) Size : 270W x 221W x 119H mm






#### **GO Series** TBG01202B

Bath & Shower Set (4 Hole) Size : 390W x 287W x 183H mm








#### **GR Series** TBG02201B

Bath Filler

(3 Hole) Size : 270W x 222D x 117H mm






#### **GR Series** TBG02202A

Bath & Shower Set (4 Hole) Size : 221W x 222D x 117H mm








#### **GR Series** TBG03201B

Bath Filler

(3 Hole) Size : 310W x 220D x 105H mm






#### **GS Series** TBG03202A

Bath & Shower Set

(4 Hole) Size : 330W x 220D x 127H mm








#### LB Series TBS01201B

Bath Filler

(3 Hole) Size : 240W x 220D x 247H mm






#### **LB Series** TBS01202B

Bath & Shower Set

(4 Hole) Size : 390W x 220D x 247H mm






#### **LB Series** TBS02201B

Bath Filller

(3 Hole) Size : 240W x 220D x 249H mm






#### **LN Series** TBS02202B

Bath & Shower Set

(4 Hole) Size : 290W x 220D x 249H mm






# **REI-RUFICE**



#### TTLR304


Single Liver Pillar Cock Size : 200W x 210D x 115H mm





#### TTLR303F


Lavatory Faucet Size : 100W x 152H mm





#### TTLR303FV


Lavatory Faucet Ext Size : 100W x 278H mm





#### TTBR305

Bath & Shower Mixer Size : 100W x 78D x 187H mm






## REI-S

REI



TTLR302F-1N Lavatory Faucet w/Pop-up Waste


TTLR302F Lavatory Faucet w/o Pop-up Waste Size: 172D x 153H mm





TTLR302FV-1 Extended Lavatory Faucet w/Pop-up Waste


TTLR302FV Extended Lavatory Faucet w/o Pop-up Waste Size : 140D x 277H mm





#### TTLR102

Single Lever Pilllar Cock Size : 100D x 122H mm




## **REI-S**




#### TTLR102V

Extended Lever Pillar Cock Size : 100W x 214H mm






TTBR302 / TTBB301 Single Lever Bath and Shower w/ Diverter Size : 100W x 187D x 80H mm





#### TTBR102


Bath Spout w/ Diverter Size : 48W x 57D x 165L mm





### TTBR102-1

Bath Spout Size : 48W x 40D x 168L mm






#### TTLR301F-1R

Lavatory Faucet w/ Pop-up Waste Size : 42W x 150D x 269H mm

#### TTLR301FR

Lavatory Faucet W/ Pop-up Waste






#### TTLR301FV-1

Extended Lavatory Faucet w/ Pop-up Waste Size : 150D x 269H mm

#### TTLR301FVR

Extended Lavatory Faucet W/ Pop-up Waste





#### TTLR101


Single Liver Pillar Cock Size : 100W x 118H mm





#### TTLR101V

Extended Liver Pillar Cock Size : 100W x 268H mm





TTBR301 / TTBB301 Single Lever Bath and Shower w/ Diverter Size : 100W x 188D x 160H mm




**-** 100 **-**



### TTBR101


Bath Spout w/ Diiverter Size : 48W x 140D x 45H mm





#### TTBR101-1


Bath Spout Size : 48W x 140D x 45H mm






#### TTWR101

Bibtap Faucet 1 Way Size : 40W x 101D x 69H mm






TTWR101-1 Bibtap Faucet 2 Way Size : 40W x 138D x 67H mm





#### TTKR101


Wall Mounted Kitchen Faucet Size : 163W x 190D x 179H mm






#### TTWR102

Biptap Faucet 1 way Size : 101W x 92D x 73H mm






TTWR102-1 Biptap Faucet 2 way Size : 138W x 129D x 76H mm





#### NEW TTKC301F

Single Lever Kitchen faucet Size : 75W x 205D x 150H mm



# **Shower Options**



#### TBW01018B

Wall-Hung Hand Shower Size :





#### TBW01013B


Wall-Mount Shower Head





#### DBX113CAM

Aerial Shower Aerial Fixed Shower Head W/Pipe, 300mm, round Size : 300 mm dia




# **Shower Options**




#### DBX114CAM

Aerial Shower Aerial Fixed Shower Head W/Pipe, 300mm, square Size : 300 mm dia






**DBX113-1CAM**Aerial Shower
Aerial Fixed Shower Head W/Pipe, 300mm, round, ceiling type
Size : 300 mm dia





#### **DBX114-1CAM**


Aerial Shower Aerial Fixed Shower Head W/Pipe, 300mm, square, ceiling type Size: 300 mm dia





#### TX488SMZ

Overhead Shower Fixed Shower Head W/Pipe, 300mm, round Size: 300 mm dia





#### TX488SIZ


Overhead Shower Fixed Shower Head W/Pipe, 300mm, square Size : 300 mm dia






#### TX491SMZ

Overhead Shower Fixed Shower Head W/Pipe, 300mm, round, ceiling type Size: 300 mm dia




# **Shower Options**



#### TX491SIZ


Overhead Shower Fixed Shower Head W/Pipe, 300mm, square, ceiling type Size: 300 mm dia





#### TX488SLZ


Overhead Shower Fixed Shower Head W/Pipe, 250mm, round Size : 250 mm dia





#### TX488ST


Overhead Shower Fixed Shower Head W/Pipe, 250mm, square Size: 250mm dia





#### TX491SLZ


Overhead Shower Fixed Shower Head W/Pipe, 250mm, round, ceiling type Size: 250mm dia





#### **TX491ST**

Overhead Shower Fixed Shower Head W/Pipe, 250mm, square, ceiling type Size: 250mm dia






Give yourself the time to indulge in luxury everyday. Taking a bath is no longer just about cleansing your body but also soaking in extreme comfort and tranquility.

TOTO's wide-range of bathtubs are specially designed to maximise the little time you have for yourself. Unwind in a luxurious sanctuary for relaxation and meditation.








### Air-Jet

The Air-Jet outlets at the bottom of the bathturb eject air. Full body Air-Jet massage creates the holistic relaxation.



Whirlpool
The Jet inside the bathtub ejecting water creates a whirlpool effect. The whirlpool effects massages the lower body and legs giving total comfort.



# Air-Jet + Whirlpool

The luxury combination of Air-Jet and Whirlpool maximizes your bathroom experience.


# **FLOTATION**



NEW PJYD2200PWE#GW
Galaline Bubble & Whirlpool Massage Bathtub
Size : 2200W x 1050D x 780H mm 293L








# **BATHTUB**

# REINFORCED MARBLE



#### PJY1814HPWE#GW (Gloss White) PJY1814HPWE#MW (Matt White)


W/ Head Grip Reinforced Marble Free Standing Bathtub
Size : 1800W x 900D x 665H mm
Slip Resistance Surface
Waste Fittings included





# PJY1804HPWE#GW (Gloss White)


PJY1804HPWE#GW (Gloss White)
PJY1804HPWE#MW (Matt White)
W/ Head Grip
Reinforced Marble
Free Standing Bathtub
Size : 1800W x 850D x 585H mm
Head Rest to be purchased separately (NTP011)
Slip Resistance Surface
Waste Fittings included





#### PJY1704HPWE#GW (Gloss White) PJY1704HPWE#MW (Matt White)

PJY1704HPWE#MW (Matt W/ Head Grip Reinforced Marble Free Standing Bathtub Size : 1700W x 800D x 585H mm Slip Resistance Surface Waste Fittings included






# PEARL ACRYLIC




PPY1810HPWE#P w/ Hand Grip Pearl Acrylic Bathtub Size : 1800W x 870D x 630H mm





PPY1710HPE#P
Pearl Acrylic Bathtub
Size : 1700W x 800D x 596H mm
Waste Fittings Not Included






# **ENAMELLED CAST IRON**




### FBYN1716CPWE#W

Enameled Cast Iron
Free Standing Bathtub
Size : 1700W x 750D x 537H mm
Slip-Resistance Surface
Waste Fittings Included





FBYN1614HPWE#W
w/ Hand Grip
Enameled Cast Iron
Free Standing Bathtub
Size : 1650W x 900D x 565H mm
Slip-Resistance Surface
Waste Fittings Included




# **ENAMELLED CAST IRON**



### FBY1720NHPE#W


w/ Hand Grip **Enameled Cast** Iron Bathtub Size : 1700W x 750D x 490H mm





### FBY1740HPE#W


w/ Hand Grip **Enameled Cast** Iron Bathtub Size : 1700W x 700D x 430H mm





## FBY1520PE#W


w/o Hand Grip Enameled Cast Iron Bathtub Size : 1517W x 750D x 465H mm Slip-Resistance Surface Waste Fittings Not Included





### FBYN1826CPWE#W

Enameled Cast Iron Free Standing Bathtub w/Pop up Size : 1800W x 800D x 575H mm



# **ACRYLIC**



# PAYK1720ZLHPE#W

Acrylic Bathtub w/ Whirlpool & Handgrip (Left) Size : 1700W x 800D x 585H mm

### PAYK1720ZRHPE#W

Acrylic Bathtub w/ Whirlpool & Handgrip (Right)

#### PAY1720HPE#W


Acrylic Bathtub w/ Handgrip

### PAYK1530ZRHPE#W

Acrylic Bathtub w/ Whirlpool & Handgrip (Right)

### PAYK1530PE#W

Acrylic Bathtub w/ Handgrip







### PAY1780E#W

Acrylic Bathtub Size : 1700W x 750D x 467H mm

#### PAY1580PE#W

Acrylic Bathtub Size : 1500W x 750D x 530H mm Slip-Resisstance Surface Waste Fittings Not Included








#### PAY1717CPWE#W

w/ Hand Grip Acylic Wy Hard Glip Acylic Free Standing Bathtub Size : 1695W x 750D x 540H mm Slip-Resistance Surface Waste Fittings Included



# WASTE FITTINGS

# ■ Waste and Overflow



DB505R-1A/B\*
DB505R-2A/B\*
DB505R-3A/B\*
Push Button
Bathtub
Pop-up Waste



DB504R-1A/B\*
DB504R-2A/B\*
DB504R-3A/B\*
Push Button
Bathtub
Pop-up Waste

| Bathtubs vs Waste Fittings Chart                         | Cast Iron                                    |                 |                 |                 |  |          |  |  |
|--|--|-----------------|-----------------|-----------------|--|----------|--|--|
| Bathtub Model  Waste Fittings Model (Copper Type)        | FBY1400 FBY1600<br>FBY1700<br>FBYK1700ZL/RHP | FBY1510 FBY1740 | FBY1530 FBY1720 | FBY1550 FBY1650 | FBY1610<br>FBYK1610ZL/RP<br>FBY1710<br>FBY1710KZL/RP | FBY1760  |  |  |
| DB701-OOO-OO-O<br>Push Button Waste Fitting (Vertical)   | 364-85-2                                     | 325-114-2       | 364-56-1        | 431-56-2        | 364-229-3  | 431-71-2 |  |  |
| DB702-OOO-OO-O<br>Push Button Waste Fitting (Horizontal) |  |                 |                 |                 |  |          |  |  |
| DB801-OOO-OO<br>Step Button Waste Fitting (Vertical)     | 364-85                                       | 325-114         | 364-56          | 431-56          | 364-229  | 431-71   |  |  |
| DB802-OOO-O<br>Step Button Waste Fitting (Horizontal)    |  |                 |                 |                 |  |          |  |  |

| Bathtubs vs Waste Fittings Chart                 | Cast Iron   |   | Pearl Acrylic                      | Acrylic   |   |         |
|--|---|---|------------------------------------|---|---|---------|
| Bathtub Model  Waste Fittings Model (Resin Type) | FBY1400 FBY1510<br>FBY1520 FBY1530<br>FBY1550 FBY1600<br>FBY1650 FBY1710<br>FBY1720 FBY1740<br>FBY1760 FBYN1510<br>FBYN1500 | FBY1610<br>FBYN 1810<br>FBYN 1710<br>FBYN 1800<br>FBYN 1700 | PPY1543 PPY1610<br>PPY1710 PPY1920 | PAY1320 PAY1323<br>PAY1510 PAY1513<br>PAY1520 PAY1523 | PAY1530 PAY1570<br>PAY1580 PAY1700<br>PAY1720 PAY1770 | PAY1710 |
| DB503R-O Push Button Waste Fitting               |   |   |                                    |   |   |         |
| DB601R-O Step Button Waste Fitting               |   |   |                                    |   |   |         |
| DB504R-O Push Button Waste Fitting               | 2   | 3   | 2                                  | 1   | 2   | 3       |
| DB602R-O Step Button Waste Fitting               |   |   |                                    |   |   |         |
| DB901-O w/ Bath Filler                           |   |   |                                    |   |   |         |





# **URINAL**




### UT904HRV#W

Wall Hung Urinal Back Inlet (5.0 LPF) with Wall Flange Size : 260W x 345D x 675H mm

TOTO GREEN CHALLENGE









### UW350HJT1#W

Wall Hung Urinal

Back Inlet Size : 370W x 360D x 740H mm


### T025005

Flexible Hose

# T62-16V1 Inlet Spud

### TX253U

Wall Flange





#### U57K#W

Wall Hung Urinal (Back Inlet) Size : 310W x 330D x 737H

## T025005

Flexible Hose

# T62-16V1 Inlet Spud

### T64BW#W


#### T9RA#W

Hanger & Screws (1 Piece)

#### U57#W

Top Inlet Urinal

## T62-16





#### UW104HJ#W

Wall Hung Urinal (Back Inlet) Size : 320W x 340D x 540H mm

#### T025005

Flexible Hose

### TX803UV1

Inlet Spud

#### T64BW#W

Wall Flange

#### T9RA#W


Hanger & Screws (1 Piece)

#### U104#W

Wall Hung Urinal (Top Inlet)

#### T62-16

Inlet Spud





#### UW447HJT1#W

Wall Hung Urinal (Back Inlet) Size : 444W x 356D x 685H mm

#### T025005

## T62-16V1

Inlet Spud

### T64CW


Wall Flange

### T9R#W

Hanger & Screws (1 Pair)

## UW447JT1#W

Wall Hung Urinal (Top Inlet)





#### USWN900B#XW

Built in Sensor Equipped Urinal (DC Type)

## USWN900BE#XW

Built in Sensor Equipped Urinal (AC Type) Size : 380W x 420D x 920 mm














# **URINAL**



#### USWN925AE#XW

Wall Hung Urinal W/ Built in Sensor (AC Type)

### USWN925A#XW


Wall Hung Urinal W/ Built in Sensor (DC Type) Size : 380W x 400D x 590H mm

TOTO GREEN CHALLENGE











#### USWN810B#XW

Floor Mounted Urinal w/ Built in Sensor (Battery Operated)

#### USWN810BE#XW

Floor Mounted Urinal w/ Built in Sensor (AC 220V operated)
Flush Volume : 1.2 - 1.9 L
Size : 390W x 380D x 1020H mm


TOTO GREEN CHALLENGE











# FLUSH VALVE FOR WC




DCE603UE (AC 220V Operated) DCE306U (Battery Operated) Automatic Toilet Flush Valve

Flush Volume : 6L Size : 12

120W x 35D x 171H mm







# FLUSH VALVE FOR URINAL




### **NEW DUE114UK**

Urinal Sensor, Flush Valve (Battery Metal Cover) 1.2 - 1.9 LPA Size : 120W x 17D X 143H mm












### **NEW DUE114UE**

Urinal Sensor, Flush Valve (AC-220v, Metal Cover) 1.2 - 1.9 LPF Size : 120W x 17D x 143H mm












### **NEW DUE114UPK**

Urinal Sensor, Flush Valve (Battery, ABS Cover) 1.2-1.9 LPF Size : 130W x 12D x 143H mm












#### **NEW DUE114UPE**

Urinal Sensor, Flush Valve (AC-220v, ABS Cover) 1.2 - 1.9 LPF Size : 130W x 17D x 143H mm

тото GREEN CHALLENGE









# FLUSH VALVE FOR URINAL




### DUE115UPK

Urinal Sensor, Flush Valve (Battery, ABS Cover) 3.0 LPF Size : 130W x 25D x 130H mm

TOTO GREEN CHALLENGE








#### DUE115UPE


Urinal Sensor, Flush Valve (AC-220v, ABS Cover) 3.0 LPF Size : 130W x 17D x 130H mm

TOTO GREEN CHALLENGE





# **AUTO FAUCET SERIES**





# **SELF POWER**

TOTO automatic faucets no longer need power from an electrical outlet. The energy from the flowing water is used to charge a battery that powers the faucet. The faucets require practically no maintenance.



## **WATER SAVING**

TOTO's aerated technology adds air to the water enlarging each droplet. This reduces water consumption by half from 4L to 2L per minute wihtout any loss in stream volume.



## **AUTO FUNCTIONS**

Cost Reduction & Energy Saving Batteries don't need to be replaced which is better for the environment and reduces the need for maintenance.

### Hygiene

The sensor-activated system means that users don't need to touch the faucets, reducing the risk of transmitting bacteria.

#### **Smart Sensor**

The automatic faucets feature an almost invisible sensor in the spout. It registers every hand movement precisely and is tamper-proof.

# **PUBLIC**

# **AUTO FAUCET**



#### TEN12ANV900

Auto Faucet (Spout Only) Size : 50W x 123D x169H mm

#### TN78-9V900

Self Powered Controller Cold Water Flow Rate: 2L/min

#### TN78-9V910

AC Operated Controller (100-240V) Cold Water Flow rate: 1.5L/min


TOTO GREEN













#### DLE110A1NV900

Auto Faucet (Spout Only) Size : 50W x 123D x 238H mm

#### TN78-9V900

Self Powered Controller Cold Water Flow Rate: 2L/min

## TN78-9V910

AC Operated Controller (100-240V) Cold Water Flow Rate: 1.5L/min


GREEN 6 CHALLENGE













Auto Faucet (Spout Only) Size : 50W x 123D x 344H mm

#### TN78-9V900

Self Powered Controller Cold Water Flow Rate

# TN78-9V910

AC Operated Controller (100-240V) Cold Water : 1.5L/min Flow Rate

TOTO GREEN CHALLENGE
















#### DLE105ANV900

Wall Mounted Auto Faucet (Spout Only) Size : 60W x 183D x 60H mm

TN78-9V900 Self Powered Controller Cold Water Flow Rate : 2L/min : 2L/min

#### TN78-9V910

AC Operated Controller (100-240V) Cold Water

: 1.55L/min Flow Rate


# TOTO GREEN CHALLENGE













#### TEN40ANV900

Auto Faucet

(Spout Only) Size : 75W x 93D x 114H mm

#### TN78-9V900

Self Powered Controller Cold Water Flow Rate : 2L/min

#### TN78-9V910

AC Operated Controller (100-240V)

Cold Water Flow Rate : 1.5L/min


# TOTO GREEN CHALLENGE















Auto Faucet

(Spout Only) Size : 50W x 119D x 176H mm

### TN78-9V900
















# **PUBLIC**



#### TEN12ENV900

Auto Faucet

(Spout Only) Size : 75W x 156D x 125H mm

#### TN78-9V900

Self Powered Controller Cold Water

#### TN78-9V910

AC Operated Controller (100-240V)


Cold Water Flow Rate













#### TTLA102

Auto Faucet (Spout-only) Size : 30W x 111D x 110H mm

#### TTLE101A

AC Operated Controller (100-240V) Cold Water Flow Rate: 2.5L/ min


#### TTLE101B

**Battery Operated Controller** Cold Water Flow Rate: 2.5L/ min

TOTO GREEN CHALLENGE







# **CONCEALED TANK & FLUSH PANEL**




### WH171A

Concealed Tank w/ Frame Water Use: 6L / 3L Size : 580W x 1180H mm

TOTO GREEN CHALLENGE








#### WH172A

Concealed Tank w/ Frame Water Use: 4.8L / 3L Size : 580W x 1180H mm

TOTO GREEN CHALLENGE








#### **NEW** WH131MHF


Concealed Tank W/ Half Frame (6L/3L), w/ Slip in Connector Size : 644W x 769H





#### **NEW WH131MNF**


Concealed Tank w/o Frame (6L/3L) Size : 644W x 467H mm





# NEW WH132MHF


Concealed Tank W/ Half Frame (4.8L/3L), w/ Slip in connector Size : 682W x 769H





#### **NEW WH132MNF**


Concealed Tank w/o Frame (4.8L/3L) Size : 644W x 467H





#### WH045D


Concealed Tank w Full Frame (6L/3L), w/ Slip in connector Size : 500W x 220D x 1120H mm





### WH035D

Concealed Tank w Full Frame (4.8L/3L), w/ Slip in connector Size : 500W x 220D x 1120H mm






### MB170P#WH

Flush Panel White

### MB170P#SS

Flush Panel Silver Matte

Size : 243W x 10D x 159H mm






#### MB174P#WH

Flush Panel White

#### MB174P#SS

Flush Panel


Silver Matte Size : 243W x 10D x 159H mm





### MB176G#WH

Glass with White Buttons Size : 242W x 12D x 160H mm




# Best Matching Concealed Tanks WHO35D, WHO45D



### MB002R

Flush Panel Size : 235W x 18D x 150H mm








## MB003CPR-2

Flush Panel Size : 242W x 18D x 156H mm






# **PUBLIC**



## MB004CPR

Flush Panel Size : 242W x 15D x 153H mm






# Best Matching Concealed Tanks WH030D & WH040D



### MB005DG

Flush Panel Glass White Size : 212W x 12D x 145H mm








### MB005DNP

Matte Chrome Size : 216W x 16D x 145H mm

## MB005DCP

Bright Chrome







#### MB007D

Flush Panel


White Size :  $214W \times 18D \times 145H \text{ mm}$ 

### MB007DP

Matte Chrome

### MB007DCP

Bright Chrome








### MB006DNM

Flush Panel Stainless Stee

Stainless Steel Size : 214W x 25D x 144H mm

#### MB006DCM

Bright Chrome








# HAND DRYER



TYC423WC
Clean Dry
High Speed Hand Dryer (Double Side)
W/o Heater
AC 230V Operated
Size: 300W x 185D x 550H mm

TOTO GREEN CHALLENGE




# **PUBLIC**



#### **TYC602**

High Speed Hand Dryer (Wall Embedded Type) Air Heater On/ Off AC 220-240V Size : 320W x 164D x 575H mm

TOTO GREEN CHALLENGE






### TYC322W

High Speed Hand Dryer Air Heater On/ Off Drying Time: 5-9 sec AC 220-240V Size : 245W x 154D x 470H mm










### TYC322M

High Speed Hand Dryer Air Heater On/ Off AC 220-240V Size : 245W x 154D x 226H mm

TOTO GREEN CHALLENGE






### TYC322WF

High Speed Hand Dryer Air Heater On/ Off AC 220-240V Size : 245W x 154D x 226H mm

TOTO GREEN CHALLENGE





TYC122W Hand Dryer w/ Heater AC 220-240V Size : 245W x 154D x 226H mm








# TYC602P


High Speed Hand Dryer
W/Paper Dispenser and Waste bin
(Wall Embedded Type)
Air Heater On/ Off
AC 220-240V
Size: 350W x 185D x 1680H mm





#### T113HK7

Flip up Type Grab Bar w/Lock Size : 700W x 262D x 657H mm



- 180 <del>-</del>



#### DB150CRVG

Wall Mounted Over Head Shower Size : 180W x 162D x 116H mm





#### DBX102CRVG

Wall Mounted Over Head Shower Size : 220W x 144D x 220H mm








### DBX102CRVGV1


Ceiling Mounted Over Head Shower Size : 220W x 304D x 220H mm





#### DBX103CRVG

Wall Mounted Over Head Shower Size : 220W x 305D x 220H mm








#### DBX103CRVGV1

Ceiling Mounted Over Head Shower Size : 220W x 220D x 44H mm





#### THX1A-3N

P-Trap for Lavatory (L= 262 mm) Size : 262W x 190D mm


OIZC . ZOZW X TOOD TIIIT

#### THX1A-5N

P-Trap for Lavatory (L= 308 mm)

# THX1A-6N

P-Trap for Lavatory (L= 352 mm)










### YRH903C

Robe Hook

Size : 24W x 45D x 69H mm








### YTS903BC


Towel Shelf Size : 600W x 201D x 100H mm





### YT903S4C


Towel Bar Size : 474W x 60D mm





#### YT903S6C

Towel Bar (600 mm) Size : 624W x 60D mm





### YH406RC

Paper Holder Size : 165W x 83D x 55H mm







YTT406C Towel Ring Size : Ø 145 mm






### YRH406C

Robe Hook

Size : 40W x 55D x 48H mm









#### YTS406BC

Towel Shelf

Size : 560W x 200D x 90H mm







# TOTO GROUP CORPORATE PHILOSOPHY

The TOTO Group strives to create a great company, trusted by people all around the world, and contributing to the betterment of society.

To achieve our philosophy, TOTO will,

- 1. Create an enriched and more comfortable lifestyle and culture built on our plumbing products.
- 2. Pursue customer satisfaction by exceeding expectations with our products and services.
- 3. Provide high-quality products and services through ongoing research and development.
- 4. Protect the global environment by conserving finite natural resources and energy.
- 5. Create an employee friendly work environment that respects the individuality of each employee.

# CONTACT US

## TOTO INDIA INDUSTRIES PVT. LTD.

Mumbai Branch Office

Mumbai Branch Office
1002, Kamla Executive Park
Opposite Vazir Glass Works
Andheri Kurla Road, Andheri (E)
Mumbai - 400059. Maharashtra, India
Phone: +91-22-4311-2112
+91-22-2832-5741/42

Delhi Branch Office

Building No 63, Basement & Upper Ground Floor Ring Road, Lajpat Nagar - III,

New Delhi - 110024 Phone: +91-11- 43177300 Fax: +91-11- 46542430

TOTO Delhi Showroom Opening Hours: 11:00-19:00 Tuesday-Sunday

Customer Care: 1800 1027 088

